

Distribution Glass Jet inc.



À votre service depuis 1994

SANDBLASTING EQUIPMENT

Parts catalogue



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

TABLE OF CONTENT

Description	Page
2.CU.FT. CONTRACTOR BLAST MACHINE WITH PNEUMATIC REMOTE CONTROLS	13
ABRASIVE CLEANER AND HOPPER RECOVERY	87
ABRASIVE REGULATOR (CANABLAST AR-7)	118
ABRASIVE TRAP/EXHAUST MUFFLER	23
AIR FAN (RENTAL ONLY)	121
AIR VALVE (AUTOMATIC) 3/4" & 1"	94 & 95
AIR VALVE (AUTOMATIC) 1-1/4" & 1-1/2"	96
AIR VALVE (AUTOMATIC) 2"	97
AMBIANT AIR PUMP CAP-1 APOLLO	43
AMBIANT AIR PUMP CAP-4 APOLLO	44
BALL VALVE, CHECK VALVE, GATE VALVE	112
BIG CLEM BULK BLAST MACHINES	9
BLAST MACHINE 100 LBS. AND ACCESSORIES	1
BNP-65 AND BNP-220 PRESSURE BLAST CABINET RECLAIMERS	93A
BULLARD PAINTING MASK	53
BULLARD REPLACEMENT PARTS	48-49-50-51
CABINET - ACETATE SELF-ADHESIVE	90
CABINET ACCESSORIES	91
CABINET GLOVES	90
CABINET METERING VALVE	88
CABINET REPLACEMENT LENS	90
CAMLOCKS PART A TO PART D	73A
CAMLOCKS PART E & F	73B
CARBON MONOXYDE MONITOR CMS-1 STATIONARY INSTALLATION	46
CARBON MONOXYDE MONITOR CMS-2 PORTABLE	45
CLAMP - EAR	74
CLAMP - HIGH PRESSURE	72
CLAMP - TYPE "TRIDON" & "CENTER PUNCH LOCK"	75
CLASSIC BLAST MACHINE	14
CLASSIC BLAST MACHINE PACKAGE W/APOLLO LP	11
CLASSIC BLAST MACHINE PACKAGES W/APOLLO HP AND SENTINEL WITH ABRASIVE CUT-OFF	12
CLASSIC BLAST MACHINES PACKAGES W/APOLLO HP	10
CLASSIC BLAST MACHINES PORTABLE AND STATIONARY	7 & 8
CLIMATE CONTROL TUBE	40
CLOSED CIRCUIT BLAST TOOL	86
COMBO VALVE	104 & 105
COMET SUCTION BLAST & VACUUM	76
CONTROL VALVES	108
CONVERSION KIT CANABLAST (AR3/AR7)	119
COOL AIR TUBE	39
COUPLING - BARB	70
COUPLING (CFA- SB- CFP)	62
COUPLING CHICAGO	71
COUPLING GASKET	62



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

TABLE OF CONTENT


<i>Description</i>	<i>Page</i>
COUPLING HIGH-PRESSURE	73
COUPLING MISCELLANEOUS	62
COUPLING NYLON AND ALUMINUM	61
CPF-20 AIR FILTER	41
CPF-80 AIR FILTER	42
DRAIN "Y"	115
DUST BAG CLEMCO	90
EASY LOAD SYSTEM FOR RECYCLABLE ABRASIVES	84
EASY LOAD VACUUM SYSTEM AND CLOSED CIRCUIT BLAST TOOL	85
EDUCT-O-MATIC	79
ELBOW- TEE- CROSS- HEXAGONALE CONNECTION	68
ELECTRIC DRAIN	115
FLAT SAND VALVE	26
GAUGE	109
GRIT VALVE	31
GRIT VALVE PNEUMATIC	33
GRIT VALVE SCHEMA	30
GUN BNP	89
HELMET APOLLO 20HP	35
HELMET APOLLO 60 HP	36
HELMET APOLLO 60 LP	38
HELMET APOLLO 600 HP	37
HELMET BULLARD SERIE 88VX	47
HOLLO BLAST	80A
HOLLO BLAST JR.	80
HOOD AND LENS MH	2
HOSE - SANDBLAST	63
HOSE - AIR CONTRACTOR (YELLOW)	64
HOSE - AIR MULTI-PURPOSE (RED)	64
HOSE - AIR STRENGTHENED PVC	63
HOSE - VACCUM	65 & 65A
INLET VALVE	21
KWIKFIRE CONTROL SWITCHES	20
LENS BULLARD	50
LENS CLEMCO	35 - 36 - 37 - 38
LENS NOVA	51B
LINE FILTER	110
LINE REGULATOR	111
METERING VALVE (GLADIATOR)	93
MICRO VALVE	98 -99
MILLENIUM INLET/OUTLET VALVE	24
MOD-U-BLAST 12 VOLTS LIGHT	3
MUFFLER	113
NOVA REPLACEMENT PARTS	52 - 52A

TABLE OF CONTENT


Description	Page
NOZZLE CLEMCO (TSR- CSD- TMP- SDX- TFR) CARBIDE LONG VENTURI	55
NOZZLE CLEMCO (TJP- CJD- TYP) CARBIDE SHORT VENTURI	56
NOZZLE CLEMCO (BSD) BORON CARBIDE LONG VENTURI & NOZZLE MARCO 10SN4UN	57
NOZZLE CLEMCO (CT TUNGSTEN CARBIDE) (CTB BORON CARBIDE) (TSP LONG VENTURI)	59
NOZZLE CLEMLITE (SJD- SJR- SYD- SYR) SILICON CARBIDE SHORT VENTURI	58A
NOZZLE CLEMLITE (SSD- SSR- SMD- SMR) SILICON CARBIDE LONG VENTURI	58
NOZZLE HOLDERS	60
NOZZLE PRESSURE GAUGE KIT	59
NOZZLE WASHER	59
ORBITE PIPE PAINTING SYSTEM	83
OUTLET VALVE	22
PARTS OF REPLACEMENT AND ACCESSORIES FOR CLASSIC BLAST MACHINE	16
PILOT UNLOADER VALVES	116
PILOT VALVE REGULATOR	111
PINCH TUBE MANUAL	32
PINCH VALVE VIPER	92
PIPE NIPPLE- PIPE ADAPTOR- REDUCING BUSHING- PIPE PLUG-	69
PNEUMATIC DEADMAN	106
PNEUMATIC DEADMAN II	107
PNEUMATIC PRESSURE RELEASE REMOTE CONTROL SYSTEMS (TLR)	18
POP-UP VALVE FOR CLEMCO EMPIRE CANABLAST BLAST MACHINE	17
PRESSURE BLAST MACHINE-MODELS 1028 - 50LBS AND 1042 - 100LBS	4
QUANTUM AUTO AIR AND GRIT VALVE	28
QUANTUM K MANUAL METERING VALVE	27
QUICK COUPLING PNEUMATIC	66-67
RECLAIMER CONVERSION KIT	88
RLX PNEUMATIC AND ELECTRIC REMOTE CONTROL HANDLE	19
SAFETY ACCESSORIES - SUIT AND GLOVES	54
SAFETY VALVE	114
SENTINEL METRING VALVE	29
SENTINEL PNEUMATIC REMOTE CONTROL SYSTEM	34
SENTINEL PNEUMATIC PRESSURE HOLD REMOTE CONTROL SYSTEM	25
SINGLE CHAMBER BLAST MACHINES	15
SPIN BLAST	81
STANDARD PORTABLE BLAST MACHINES	6
STANDARD STATIONARY BLAST MACHINES	5
SUCTION PEDAL	90
SUCTION GUN	78
SUPER COMET	77
TANDEM VALVE	120
THOMPSON VALVE	100 & 101
THOMPSON VALVE II	102 & 103
WET BLAST INJECTOR SYSTEM	82

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
 Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

BLAST MACHINE 100 LBS AND ACCESSORIES



U100-S Description
BLAST machine 100 Lbs complete with 12,5 ft. hose and MH-3 helmet (Filter - Regulator and Shut Off optionnal)
Complete Pop-Up Valve with handle
Gasket for Pop-Up





Stock#	Description
50200	M-5000 Shut Off Valve hose 1/2" I.D.
50202P	Block stopper gun

ECONOMY BLAST KIT

Economy Blast Kit
STOCK No. 050100

Replacement Nozzle
STOCK No. 050101






Stock#	Description
060431	Nut for conical nozzle
060432	Coupling SBH 1/2" Thread 1"
036911	Ceramic nozzle 3/32"
036912	Ceramic nozzle 1/8"
036913	Ceramic nozzle 3/16"
036914	Ceramic nozzle 1/4"

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

MH HOOD




Description

HOOD MH-3 (COTON)

HOOD MH-5 (CANVAS)

MH REPLACEMENT LENS

MOD-U-BLAST 12 VOLTS LIGHT



ID.	Stock #	Description
(-)	290293	Complete light 35W
(-)	290285	Complete light 20W
1.	290288	Retaining ring
2.	290287	Lens with silicone joint
3.	290286	Bulb 20W
	290284	Bulb 35W
4.	290282	Socket
5.	290280	Light body
6.	290281	Electric connector
7.	290278	Hose braket assembly
8.	DPS-123	Transformer 120-12 Volt

PRESSURE BLAST MACHINES - MODELS 1028 AND 1042

5.2 Blast Machine Assembly (Figure 2)

ID. Description	Stock#
(-) Model SCW-1025, 50lb. Capacity blast machine (includes hose and nozzle)	21051
(-) Model SCW-1042, 100lb. Capacity blast machine (includes hose and nozzle)	21053
1. Pop-Up Valve seat, rubber	01245
2. Ball valve handle, 1/2"	01252
3. Ball valve, 1/2"	01241
4. Wheel, rubber, 6" diameter	02326
5. Abrasive control valve, 1/2"	01247
6. SFA-1/2 quick coupling threaded	00558
7. CQA -1/2 hose coupling	00599
8. CHE-1/2 nozzle holder	00577
9. Blast hose, coupled, 1/2" x 16' (supplied with model 1028)	01251
10. Blast hose, coupled, 1/2" x 25' (supplied with model 1042)	01268
11. Nozzle, tungsten, 1/8 orificex1-3/4	01351
12. Nozzle, tungsten, 3/16 orificex1-3/4	01352
13. Nozzle, tungsten, 1/4 orificex1-3/4	01353
14. Nozzle, tungsten, 5/16 orificex1-3/4	01354
15. Inspection door gasket, 3" x 4"	01249
16. Inspection door assembly, 3" x 4"	01267
17. Pop-Up Valve guide, 1/2" x 6" (for model 1028 only)	01839
18. Pop-Up Valve guide, 1/2" x 8" (for model 1042 only)	01743
19. Pop-Up Valve and shaft	01242
(-) Coupling gasket (not shown)	00851
(-) Coupling lock pin, pkg of 25	11203





figure 2.

5.3 Abrasive Control Valve (figure 3)



ID. Description	Stock#
Mini FSV 1/2 complet	01247
1. Top casting	01258
2. Valve body gasket	01260
3. Metering plate and stem	01261
4. O-ring, neoprene	00794
5. Spring pin	01263
6. Washer, nylon	01266
7. Bottom casting	01259
8. Spring	02178
9. Handle	01262

STANDARD STATIONARY BLAST MACHINES

All standard machines have a working pressure rating of 125 psi. Blast machine capacities are stated in cubic feet. Dry sand weights approximately 100 lbs. per cubic foot; steel grit weights approximately 250 lbs. per cubic foot. Remote controls shown are pneumatic pressure-release style.

NOTE OSHA regulations require the use of remote controls on all abrasive blast machines. Ref.29 CFR

Description	Stock#	Weight	Description	Stock#	Weight
Model 1642			Model 3054		
2.0 cu. Ft. Capacity with:			7.0 cu. Ft. Capacity with:		
TLR-100 and FSV.....	21058	240	TLR-300 and FSV.....	01195	600
TLR-100 and			TLR-300 and		
Sentinel w/ACS...	21059	250	Sentinel w/ACS.....	21075	610
W/o remotes			TLR-300 FSV and		
1" piping.....	21055	230	7.0 cu.ft.storage		
			hopper.....	01197	765
Model 1648			TLR-300 FSV and		
3.0 cu. Ft. Capacity with:			w/ACS and 7.0 cu.ft.		
TLR-100 and FSV.....	21063	320	storage hopper.....	21076	775
TLR-100 and			W/o remotes,		
Sentinel w/ACS...	21064	330	1 1/4" piping	00894	600
W/o remotes			1 1/4" piping, w/7.0		
1" piping.....	00882	300	cu. Ft. Hopper	00903	700
			Model 2463		
TLR-300 and			8.0 cu. Ft. Capacity, dual chamber, with:		
Sentinel w/ACS...	21066	335	Single outlet		
W/o remotes			Sentinel /ACS	01191	630
1 1/4" piping.....	01180	305	Dual outlet		
			Sentinel /ACS	01193	700
Model 2452			W/o remotes,		
6.0 cu. Ft. Capacity with:			Single outlet	02409	600
TLR-100 and FSV.....	21071	475	Dual outlet	02410	630
TLR-100 and			Model 3658		
Sentinel w/ACS...	21072	485	10.0 cu. Ft. Capacity with:		
W/o remotes			TLR-300 and FSV.....	01198	850
1" piping.....	00885	400	TLR-300 and		
TLR-300 and FSV.....	21073	480	Sentinel w/ACS.....	21077	860
TLR-300 and			W/o remotes	00902	800
Sentinel w/ACS...	21074	490	Model 3676		
W/o remotes			20.0 cu. Ft. Capacity with:		
1 1/4" piping.....	01190	410	TLR-300 and FSV.....	01199	1060
			TLR-300 and		
Blast Machine Upgrade to 150 psi			Sentinel w/ACS.....	21078	1070
	09229		W/o remotes	00904	1000

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

STANDARD PORTABLE BLAST MACHINES

All standard machines have a working pressure rating of 125 PSI. Blast machine capacities are stated in cubic feet. Dry sand weights approximately 100 lbs. per cubic foot; steel grit weights approximately 250 lbs. per cubic foot. Remote controls shown are pneumatic pressure-release style.

NOTE OSHA regulations require the use of remote controls on all abrasive blast machines. Ref.29 CFR

PORTABLE BLAST MACHINES

Description	Stock#	Weight	Description	Stock#	Weight
Model 1028			Model 2452		
0.5 cu. Ft. Capacity with:			6.0 cu. Ft. Capacity with:		
TLR-50A and MSV.....	21051	110	TLR-100 and FSV.....	01186	485
W/o remotes.....	21050	100	TLR-100 and		
			Sentinel w/ACS.....	21067	495
			W/o remotes,		
			1" piping	00887	420
Model 1042			TLR-300 and FSV.....	01187	490
1.0 cu. Ft. Capacity with:			TLR-300 and		
TLR-50A and MSV.....	21053	130	Sentinel w/ACS.....	21068	500
W/o remotes	21052	110	W/o remotes,		
			1 1/4" piping	01189	430
Model 1642			Model 2443		
2.0 cu. Ft. Capacity with:			6.0 cu. Ft. Capacity Lo-Pot with:		
TLR-100 and FSV.....	21056	250	TLR-100 & Sand		
TLR-100 and			valve	21069	485
Sentinel w/ACS.....	21057	260	TLR-300 and		
W/o remotes	21054	240	valve	21070	490
			W/o remotes,		
			1" piping	05628	385
			W/o remotes,		
			1 1/4" piping	05629	395
Model 1648			Model 2463		
3.0 cu. Ft. Capacity with:			8.0 cu. Ft. Capacity, dual chamber, with:		
TLR-100 and FSV.....	01178	330	Single outlet		
TLR-100 and			Sentinel /ACS	01192	650
Sentinel w/ACS.....	21061	340	Dual outlet		
W/o remotes,			Sentinel /ACS	01194	745
1" piping	00884	325	W/o remotes,		
TLR-300 and FSV.....	01179	335	Single outlet	02411	600
TLR-300 and			Dual outlet	02412	640
Sentinel w/ACS.....	21062	345			
W/o remotes,					
1 1/4" piping	01181	330			
			Blast Machine Upgrade to 150 psi		
			09229	P.O.R.	

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

CLASSIC BLAST MACHINE PORTABLE & STATIONARY

Portable or Stationary: Choose the classic-style blast machines on this page from either the **Portable or Stationary** column

Working Pressure Rating: The standard **working pressure rating** is shown in column below. **New in 2003:** all classic-style 2 cu ft, 3 cu ft, and 6 cu ft blast machines (except 6.0 cu ft LO-POT) come standard with a **working pressure rating of 150 psi!**

Capacity: The blast machine **capacity** is stated in cubic feet because abrasives vary in their density (number of pounds per cubic foot). For example, sand or slag weights 100 pound per cubic foot, while steel grit weights 250 pounds per cubic foot.

Metering Valve: Choose a blast machine with FSV **abrasive metering valve** for blasting with sand, slag, and other conventional disposable abrasives. Choose Sentinel when steel grit or other metallic media may be used or the abrasive cut-off feature is desired. Sentinel is for use with all abrasive types.

Note: For the safety of the operator, OSHA regulation 29CFR1910.244 (b) requires the use of **remote controls** on all blast machines. The machines with remote controls installed have pneumatic pressure-release remote controls, which depressurize the blast machine whenever the RLX handle is released. **Electric remote controls** should be used when the blast hose is 100 ft or longer. Machines without remote controls installed are listed so that any of our optional remote control systems may be ordered. **Owner's manuals** :OM 04124 for 0.5 and 1 cu ft machines ; OM 22501 for all other single chamber machines.

Description	Piping	Model Ref	Pressure Rating	Stock No.	Stock No.	Weight
				Portable Machines	Stationary Machines	
0.5 cu ft machine * with TLR50A 7 MSV Without remotes	1/2"	1028	125 psi	21051 21050		110 100
1 cu ft machine * With TLR50A & MSV Without remotes	1/2"	1042	125 psi	21053 21052		130 110
2 cu ft machine With TLR100 & FSV With Sentinel & ACS Without remotes	1"	1642	150 psi	21056 21057 21054	21058 21059 21055	250 260 240
3 cu ft machine With TLR100 & FSV With Sentinel & ACS Without remotes With TLR300 & FSV With Sentinel & ACS Without remotes	Choice 1" 1" 1" 1 1/4" 1 1/4" 1 1/4"	1648	150 psi	01178 21061 00884 01179 21062 01181	21063 21064 00882 21066 01180	330 340 325 335 345 330
6 cu ft machine LO-POT With TLR100 Without remotes With TLR300 Without remotes	Choice 1" 1" 1 1/4" 1 1/4"	2443	125 psi	21069 05628 21070 05629		485 385 490 395
6 cu ft machine With TLR100 & FSV With Sentinel & ACS Without remotes With TLR300 & FSV With Sentinel & ACS Without remotes	Choice 1" 1" 1" 1 1/4" 1 1/4" 1 1/4"	2452	150 psi	01186 21067 00887 01187 21068 01189	21071 21072 00885 21073 21074 01190	485 495 420 490 500 430

* Standard 0.5 and 1 cu ft machines operate with low-cfm compressors delivering 12 cfm and up.

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

CLASSIC BLAST MACHINE PORTABLE & STATIONARY

Portable or Stationary: Choose the classic-style blast machines on this page from either the **Portable or Stationary** column. All machines on this page are single chamber constructions, except 8 cu ft models.

Working Pressure Rating: The standard **working pressure rating** is shown in column below. **New in 2003:** all classic-style 2 cu ft, 3 cu ft, and 6 cu ft blast machines (except 6.0 cu ft LO-POT) come standard with a working pressure rating of 150 psi!

Capacity: The blast machine **capacity** is stated in cubic feet because abrasives vary in their density (number of pounds per cubic foot). For example, sand or slag weights 100 pound per cubic foot, while steel grit weights 250 pounds per cubic foot.

Metering Valve: Choose a blast machine with FSV **abrasive metering valve** for blasting with sand, slag, and other conventional disposable abrasives. Choose Sentinel when steel grit or other metallic media may be used or the abrasive cut-off feature is desired. Sentinel is for use with all abrasive types.

Note: For the safety of the operator, OSHA regulation 29CFR1910.244 (b) requires the use of **remote controls** on all blast machines. The machines with remote controls installed have pneumatic pressure-release remote controls, which depressurize the blast machine whenever the RLX handle is released. **Electric remote controls** should be used when the blast hose is 100 ft or longer. Machines without remote controls installed are listed so that any of our optional remote control systems may be ordered. **Owner's manuals :** OM 22501 for all other single chamber machines larger than 1 cu ft.

Description	Piping	Model Ref	Pressure Rating	Stock No.	Stock No.	Weight
				Portable Machines	Stationary Machines	
7 cu ft machine With TLR300 & FSV As above w/7 cuft hopper With remotes, Sentinel & ACS As above w/7 cuft hopper Without remotes or hopper Without remotes w/7 cuft hopper	1 1/4"	3054	125 psi		01195 01197 21075 21076 00894 00903	600 765 610 775 600 700
8 cu ft machine, dual-chambre Single-outlet With remotes, Sentinel & ACS With remotes Dual-outlet With remotes, Sentinel & ACS Without remotes	1 1/4"	2463	125 psi	01192 02411 01194 02412	01191 02409 01193 02410	650 745 600 640
10 cu ft machine With TLR300 & FSV With remotes, Sentinel & ACS Without remotes	1 1/4"	3658	125 psi		01198 21077 00902	850 860 800
20 cu ft machine With TLR300 & FSV With remotes, Sentinel & ACS Without remotes	1 1/4"	3676	125 psi		01199 21078 00904	1060 1070 1000
SOFT KING 1.5 cu ft machine, 1 1/4" piping, 150 psi, cart-mounted, with pneumatic remotes & 50 ft twinline hose As above, plus: Wetblast injector system & high-pressure water hose, Shutoff valve/nozzle adaptor, 1 1/4" ID Supa blast hose coupled, TMP-5 nozzle, machine screen & cover					22505 21460	296 427



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

BIG CLEM BULK BLAST MACHINES

All standard units are rated **125 psi** working pressure" Fully-equipped models include 1 1/4" piping, air manifold, dual-operator Sentinel remote controls with safety ID kit" Standard units can be modified to operate at **150 psi** working pressure of **an upcharge** to list price of \$500.

Stationary units include legs and leg pads; yard portable units include dual-axle trailer but no fenders, lights, or brakes; **highway towable units** include: dual-axle trailer, four-wheel electric drum brakes, tail-lights, side reflectors, fenders and 12v battery.

NOTE : Capacities are based upon use with abrasives with a density of 100 lbs per cubic foot. High-density abrasives can be used provided the axle rating or storage hopper weight capacity is not exceeded. 35-Ton abrasive storage hoppers available- priced on request.

Big Clems Fully-Equipped

	Pneumatic Remotes	Electric Remotes 12-Volt
Description	Stock Number	Stock Number
60 cu ft (3-ton capacity, 48" dia.):		
Stationary	05100	10815
Yard portable	05101	10816
Highway towable	05102	10817
120 cu ft (6-ton capacity, 60" dia.):		
Stationary	05103	10818
Yard portable	05104	10819
Highway towable	05105	10820
160 cu ft (8-ton capacity, 72" dia.):		
Stationary	05106	10821
Yard portable	05107	10822
Highway towable	05108	10823
Additional Operators:		
120 cu ft - One additional	05362	10824
120 cu ft - Two additional	05275	10825
160 cu ft - One additional	05361	10826
160 cu ft - Two additional	05276	10827
Big Clems Less Remote Control Valves & External Piping	Stock Number	
60 cu ft capacity (3-ton):		
Stationary	23896	
Yard portable	23897	
Highway towable	23898	
120 cu ft capacity (6-ton):		
Stationary	23899	
Yard portable	23900	
Highway towable	23901	
160 cu ft capacity (8-ton):		
Stationary	23902	
Yard portable	23903	
Highway towable	23904	

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

CLASSIC BLAST MACHINE PACKAGES WITH APOLLO HP

Blast Machine packages with 1/2" piping include:

TLR-50A remote controls, MSV 1/2" abrasive metering valve, 25ft. X 1/2" ID blast hose with CHE-1/2 aluminum quick coupling, installed, blast hose safety cable, 1/2" air filter with manual drain, CT-4 blast nozzle, blast machine screen, Apollo-60 HP Helmet with air control valve, 25ft. Respirator hose coupled, CPF 20 breathing-air filter, 1 pair leather gloves, 1pk of 25 helmet outer lenses, 10 coupling gaskets, 10 nozzle washers and 3 outlet valve diaphragms.

	Stock #	Weight
Package 1 : 0.5 cu.ft. Capacity (Model 1028) 125 psi .. 00908		185
Package 2 : 1.0 cu.ft. Capacity (Model 1042) 125 psi .. 01039		205

Blast machine packages with 1" piping include:


TLR-100 remote controls, installed, FSV valve, 50 ft. X 1" ID Supa blast hose, NHP-1 nylon nozzle holder, and CQPS-1 nylon quick coupling installed, blast hose safety cable, 1" air filter with manual drain, TMP-5 blast nozzle, blast machine screen, poly all-weather cover, Apollo 60 HP helmet with cool-air tube 50 ft. Respirator hose coupled, CPF-20 breathing-air filter, 1 pair leather gloves, 1 pk of 25 helmet outer lenses, 10 coupling gaskets, 10 nozzle washers, 6 abrasive trap screens.

	Stock #	Weight
Package 3: 2.0 cu. Ft. Capacity (Model 1642) 150 psi ..21060		385
Package 4: 3.0 cu. Ft. Capacity (Model 1648) 150 psi ..00912		435

Blast Machine packages with 1 1/4" piping include:

TLR-300 remote controls, installed, FSV valve, 50 ft. X 1 1/4" ID Supa blast hose, NPH-2 nylon nozzle holder, and CQPS-2 nylon quick coupling installed, blast hose safety cable, 1 1/2" air filter with manual drain, TXP-6 blast nozzle, blast machine screen, poly all-weather cover, Apollo 60 HP Helmet with cool air tube, 50 ft. Respirator hose, coupled, CPF-20 breathing-air filter, 1 pair leather gloves, 1 pk of 25 helmet outer lenses, 10 coupling gasket, 10 nozzle washers, 6 abrasive trap screens.

	Stock #	Weight
Package 5 : 3.0 cu.ft. Capacity (Model 1648) 150 psi .. 11260		475
Package 6 : 6.0 cu.ft. Capacity (Model 2452) 150 psi .. 00916		585





650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
 Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

CLASSIC BLAST MACHINE PACKAGES WITH APOLLO LP

Blast Machine packages with 1/2" piping include:

TLR-50A remote controls, MSV 1/2" abrasive metering valve, 25ft. X 1/2" ID blast hose with CHE-1/2 aluminum nozzle holder, and CQA-1/2 aluminum quick coupling, installed, blast hose safety cable, 1/2" air-filter with manual drain, CT-4 blast nozzle, blast machine screen, Apollo-60 LP helmet with CFC, 50 ft. Respirator hose coupled, 1 pair leather gloves, 1 pk of 25 helmet outer lenses 10 coupling gasket, 10 nozzle washers and 3 outlet valve diaphragms.

Order ambient air pump separately.

	Stock #	Weight
Package 1 AA: 0.5 cu.ft. Capacity (Model 1028) 125 psi ..	23890	185
Package 4ACS: 3.0 cu.ft. Capacity (Model 1042) 125 psi ..	23891	205

Blast machine packages with 1" piping include:

TLR-100 remote controls, installed, FSV valve, 50 ft. X 1" ID Supa blast hose, NHP-1 nylon nozzle holder, and CQPS-1 nylon quick coupling installed, blast hose safety cable, 1" air filter with manual drain, TMP-5 blast nozzle, blast machine screen, poly all-weather cover, Apollo 60 LP helmet with CFC, 50 ft. Respirator hose coupled, 1 pair leather gloves, 1 pk of 25 helmet outer lenses, 10 coupling gaskets, 10 nozzle washers, 6 abrasive trap screens.

Order ambient air pump separately.

	Stock #	Weight
Package 3 AA: 2.0 cu. Ft. Capacity (Model 1642) 150 psi ..	23892	385
Package 4: 3.0 cu. Ft. Capacity (Model 1648) 150 psi ..	23893	435

Blast Machine packages with 1 1/4" piping include:

TLR-300 remote controls, installed, FSV valve, 50 ft. X 1 1/4" ID Supa blast hose, NPH-2 nylon nozzle holder, and CQPS-2 nylon quick coupling installed, blast hose safety cable, 1 1/2" air filter with manual drain, TXP-6 blast nozzle, blast machine screen, poly all-weather cover, Apollo 60 LP Helmet with CFC 50 ft. Respirator hose, coupled, 1 pair leather gloves, 1 pk of 25 helmet outer lenses, 10 coupling gasket, 10 nozzle washers, 6 abrasive trap screens.

Order ambient air pump separately.

	Stock #	Weight
Package 5AA : 3.0 cu.ft. Capacity (Model 1648) 150 psi ..	23894	475
Package 2 : 1.0 cu.ft. Capacity (Model 2452) 150 psi ..	23895	585

Optimal Ambient Air Pumps

Description	Stock #	Weight
CAP -1single operator	22383	65
CAP-4 four operators with frame	22530	175
CAP-4C four operators with 2 wheel cart	22384	205



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

**CLASSIC BLAST MACHINE PACKAGES WITH APOLLO HP
AND SENTINEL WITH ABRASIVE CUT-OFF**

**Classic Blast Machine Packages w/ Apollo HP
and Sentinel with Abrasive Cut-Off**

Blast machine packages with 1" piping include:

TLR-100 remote controls, installed, sentinel media valve, 50ft. X 1" ID Supa blast hose, NPH-1 nylon nozzle holder, and CQPS-1 nylon quick coupling installed, blast hose safety cable, 1" air filter with manual drain, TMP-5 blast nozzle, blast machine screen, poly all-weather cover, Apollo-60 HP helmet with cool-air tube, 50 ft. Respirator hose coupled, CPF-20 breathing-air filter, 1 pair leather gloves, 1 pk of 25 helmet outer lenses, 10 coupling gasket, 10 nozzle washers, 6 abrasive trap screens.

	Stock #	Weight
Package 3 ACS: 2.0 cu.ft. Capacity (Model 1642) 150 psi ..	23907	385
Package 4 ACS: 3.0 cu.ft. Capacity (Model 1648) 150 psi ..	23908	435

Blast machine packages with 1 1/4" piping include


TLR-300 remote controls, installed, Sentinel media valve, 50 ft. X 1 1/4" ID Supa blast hose, NHP-2 nylon nozzle holder and CQPS-2 nylon quick coupling installed, blast hose safety cable, 1 1/2" air filter with manual drain, TXP-6 blast nozzle, blast machine screen, poly all-weather cover, Apollo 60 HP helmet with cool air tube, 50 ft. Respirator hose, coupled, CPF-20 breathing air filter, 1 pair leather gloves, 1 pk of 25 helmet outer lenses, 10 coupling gasket, 10 nozzle washers, 6 abrasive trap screens.

	Stock #	Weight
Package 5ACS : 3.0 cu.ft. Capacity (Model 1648) 150 psi ..	23909	475
Package 6ACS : 6.0 cu.ft. Capacity (Model 2452) 150 psi ..	23910	585

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

2 CU.FT.CONTRACTOR BLAST MACHINE WITH PNEUMATIC REMOTE CONTROLS



(-) 2 cu.ft.Contract Machine with 1½" Millennium
pneumatic remote controls, manual Quantum-K valve
and CPF-20 air filter w/regulator

Stock#	Weight
21544	358


(-) 2 cu.ft.Contract machine with 1½" Mellennium
pneumatique remote controls and manual Quantum-K
valve.

Stock#	Weight
21490	343

ID.	Description	Stock#	Weight
1.	1¼" ball valve with handle	02397	3.0
2.	Replacement flexible pusher line	23674	
3.	Compression Coupling	01857	2
4.	Compression Coupling Gasket	01886	<.5
5.	Threaded quick Coupling w/nipple	21733	2
6.	Metering Valve Quantum-K w/wye	22845	9
7.	10" wheel	20349	6
9.	Inspection door	02377	7
10.	Inspection door gasket	02369	.5

	Stock#	Weight
11. Pop-Up valve seal	02325	.5
12. Pop-Up valve ext slv	03699	5
13. * Air filter, manual drain	22424	
14. Millennium valve	21336	20
15. * Gasket , CQGP-3 Coupling	08853	
16. Wye, std. 1½"	01818	
17. Pop -up valve guide	01753	
18. Rain cap	21517	1
19. Axle	02402	10
20. 1" thrust washer	03825	.5
21. Retaining ring 1"	03824	
22. Abrasive trap	02011	4
23. * Gasket , CQGP-2 Coupling	21584	
24. * CPF-20 air filter	03578	21
25. CPF Cartridge	03547	
26. * Coupling CQPS-1	21088	.50
27. * Nozzle, TMP-4	23106	.5
28. * 50 ft.Supa hose	23104	26
29. * Nozzle, TMP-4	23520	1
30. * Washer, nozzle, NW-25 10 pk	91024	.5
31. Adaptor, 1¼" NPT	22529	
(-) * 16" dia.machine cover	02335	
(-) * 16" dia.screen	03099	6
(-) * Flexible pusher line conversion kit	23874	
* Items are optional accessories.		

CLASSIC BLAST MACHINE




Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

SINGLE CHAMBER BLAST MACHINES

Description	Stock	Description	Stock
24" Diameter blast machine	02336	25. Popu-up valve umbrella, 4" (Bolt on)	02318
30" diameter blast machine	02337	26. Outlet valve muffler	05068
8. Compression coupling, 1"	01856	27. 4" Pop-up valve with external sleeve	
9. Compression coupling gasket, 1"	01885	Internal guide (1-1/4" x 6-1/2"	
10. Compression coupling, 1-1/4"	01857	Toe nipple)	01754
11. Compression coupling gasket, 1-1/4"...	01886	30. Screen, (recessed) for :	
12. Threaded quick coupling, 1-1/4"	00551	14" diameter machine	03098
13. Standard "Y" 1-1/4"x1-1/4"x1-1/4"	01818	16" diameter machine	03099
14. Leg pads for 14", 16" and 24"		24" diameter machine	03100
Diameter blast machine (set of 2)	02416	30" diameter machine	03101
15. Sand valve complete	02427	31. Coupling lock pin (package of 25)	11203
16. Manual metering valve, inch tube	04321	Safety cable, 1/2" to 1 1/4" OD	15012
17. Axle and 6" diameter wheel set	02347	32. Safety cable, fits 3/4" to	
18. 6" rubber tired wheel	02326	1-1/2" ID hose	15013
24" diameter machine	02350	Axle and 16" wheel set for	
20. 400 x 16 tire and wheel	20427	16" dia. Machine	02822
21. Inspection door assembly , 6" x 8".....	02377	Gasket, coupling (pkg. Of 10)	00850



REPLACEMENT PARTS

1. Ball valve, 1" with handle	02396	5. Formed pipe pusher line, 1"	01865
2. Handle, ball valve 1"	01212	6. Formed pipe pusher line, 1-1/4"	01866
4. Handle, ball valve 1-1/4" with handle	02397	7. Cover for:	
		14" diameter blast machine	02334
		16" diameter blast machine.....	02335

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

PARTS OF REPLACEMENT AND ACCESSORIES FOR CLASSIC BLAST MACHINE

ABRASIVE METERING VALVES

Description	Stock #	Weight
AutoQuantum grit valve	22760	22
AutoQuantum air valve	21350	13
FSV metering valve	02427	16
Lo-pot valve	05680	15
Manual pinch tube valve	04321	13
MSV 1/2" valve for 1028 & 1042 machines	01247	3
PVR air valve assembly	04320	20
PVR grit valve assembly	04319	25
Quantum-K valve	22845	9
Sentinel valve	20608	22
Sentinel valve w/ACS	20508	22
Sentinel valve for fine mesh abrasives	21439	22

COVERS

Description	Stock #	Weight
10" diameter cover	03107	3
14" diameter cover	02334	4
16" diameter cover	02335	6
20" diameter cover	20358	9
24" diameter cover	02336	12
30" diameter cover	02337	21

POLY COVERS

Description	Stock #	Weight
Medium(fits up to 3 cu. Ft. machines)	15097	2
Large(fits 4 and 6 cu.ft. machines)	15143	3

SAFETY CABLES

Description	Stock #	Weight
Blast hose safety cable for 1/2" to 1 1/4" OD hose ...	15012	.50
Blast hose safety cable for 1 1/2" to 3" OD hose	15013	1,5

SCREENS

Description	Stock #	Weight
10" diameter screen	03362	4
14" diameter screen	03098	5
16" diameter screen	03099	6
20" diameter screen	20357	8
24" diameter screen	03100	10
30" diameter screen	03101	17
36" diameter screen	12391	19

MISCELLANEOUS PARTS

Description	Stock #	Weight
Wye, 11/4"X 11/4"X 11/4"	01818	
wheel & axle set for 3 cu.ft.	02822	
for 6 cu.ft.	02350	
400 X 16 tire and wheel	20427	
Leg pads for 3 & 6 cu.ft. (left & right set)	02416	
Inspection door assembly 6" X 8"	02377	
4" X 6"	02323	
Gasket inspection door, 6" X 8"	02369	
4" X 6"	02329	
Umbrella, 4" bolt-on style	02318	
Flexible pusher line for standard machines For 2 cu.ft.(1" piping)		
1"ID conversion kit	23875	
1"ID replacement	22508	
For 3 & 6 cu.ft. (1"or 11/4" piping)		
1" ID conversion kit	23873	
1" ID replacement	23673	
11/4" conversion kit	23874	
11/4" replacement	23674	
Exhaust muffler	05068	

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

POP-UP VALVE FOR CLEMCO BLAST MACHINE


4-INCH OPENING

Dual inlet piping: Pop-up valve has 1/2" steel stem that fits inside 1" internal piping.

Description	Stock #	Weight
Pop-up valve	02321	4
Pop-up valve seat (rubber)	02325	.5
Pop-up valve seat(neoprene)	02380	.5

Single inlet piping: Pop-up valve has aluminum sleeve that fits over 1 1/4" pipe.

Description	Stock #	Weight
Pop-up valve	03699	5
Pop-up valve seat(rubber)	02325	.5
Pop-up valve seat(neoprene)	02380	.5



5 1/2-INCH OPENING


Dual-inlet piping: Pop-up valve has 1/2" steel stem that fits inside 1" internal pipe.

Description	Stock #	Weight
Pop-up valve	02375	8
Pop-up valve seat	02343	1

Single-inlet piping:

Pop-up valve has aluminum sleeve that fits over 1 1/4" internal pipe.

Description	Stock #	Weight
Pop-up valve	03689	7
Pop-up valve seat	02343	1



FOR 10-INCH DIAMETER BLAST MACHINE

Description	Stock #	Weight
Pop-up valve	01242	1
Pop-up valve seat	01245	.5

Canablast

610041 - Pop Up = Clemco # 02321
618201 - Blue O - ring

Empire

Pop Up # 03689, 5 1/2" with sleeve 1 1/4" or Pop Up Clemco #02375, tige 1/2"
Gasket Clemco #02343
Empire O-Ring #523872

BIG CLEM POP-UP VALVE

Description	Stock #	Weight
Pop-up valve	05643	14
Pop-up valve seat	05641	1

P&G Pop-up #02321 tige 1/2"
Gasket = Special

175-003

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

PNEUMATIC PRESSURE RELEASE REMOTE CONTROL SYSTEMS

Pneumatic remote controls

TLR-050A

1/2" remote control system. Includes 1/2" inlet valve, 1/2" diaphragm outlet valve, RLX control handle, 25ft. Coupled twinline hose and all required hoses and fittings

Stock #	Weight
02518	20

TLR-100

1" remote control system. Includes 1" inlet valve, 1" outlet valve, RLX control handle, 50 ft. coupled twinline hose, abrasive trap and all required hoses and fittings.

01935	30
-------	----

TLR-300

1 1/4" / 1 1/2" remote control system. Includes 1 1/4" / 1 1/2" inlet valve, 1" outlet valve, RLX control handle, 50 ft. coupled twinline hose, abrasive trap and all required hoses and fitting

01936	35
-------	----

Pneumatic remote controls with diaphragm outlet valve

TLR-100D

1" remote control system. Includes 1" inlet valve, 1" diaphragm outlet valve, RLX control handle, 50 ft. coupled twinline hose, abrasive trap and all required hoses and fittings

03449	30
-------	----



TLR-300D

1 1/4" / 1 1/2" remote control system. Includes 1 1/4" / 1 1/2" inlet valve, 1" diaphragm outlet valve, RLX control handle, 50ft coupled twinline hose, abrasive trap and all required hoses and fittings.

03448	30
-------	----

Electrical Remote Control



Anti Freeze Injector	5537
Valve solenoid Philexpert	
12 Volts	24020
120 Volts	24014
Mini Filtreur 1/4"	



Twin Line Hose 50'	1951
Twin Line Hose 5'	1952


RLX PNEUMATIC AND ELECTRIC REMOTE CONTROL HANDLE

No.	Description	Stock #	Weight
(-)	RLX electric control handle w/twist-lock connector	05801	1.2
1.	Handle	10573	.22
2.	Body	10568	.3
3.	Lever lock	10564	
4.	Clamp, switch cord	05810	
5.	Spring, lever, 2 reqd	05823	
6.	Switch, electric with cord	05813	.1
7.	Screw, 8-32 X 3/8"ss 4 reqd	05814	
8.	Nut, 8-32 lock, ss, 2 reqd	05815	
9.	Spacer washer ss, 4 reqd	05434	
10.	Screw, 3/16" X 1 1/4" shoulder, 2 reqd	05817	.02
11.	Screw, 4-40 X 3/8" fillister head, 2 reqd	05818	
12.	Connector, lo-profile (for 10840 only)	10829	.08
13.	Tie, nylon	02195	.02
14.	Connector, twist-lock, (for 05801 only)	02899	.12
(-)	Connector,twist-lock (f)	02898	



No.	Description	Stock #	Weight
(-)	RLX pneumatic control handle complete	10565	1.0
(-)	RLX pneumatic control handle with ACS switch	07625	
1.	Handle	10573	.22
2.	Body	10568	.3
3.	Lever lock	10564	
4.	Pneumatic adaptor	10562	.14
5.	Spring, lever, 2 reqd	05823	
6.	Nut, 8-32 lock ss, 2 reqd	05815	
7.	Spacer washer ss, 4 reqd	05434	
8.	Screw, 3/16" X 1 1/4" shoulder, 2 reqd	05817	.02
9.	Screw, 8-32 X 1" round hd, 2 reqd	05819	
10.	Screw, 4-40 X 3/8" fillister hd, 2 reqd	05819	
11.	Rubber button bumper	05821	
12.	Gasket, pneumatic adaptor	10563	.02
13.	Adaptor 1/8" NPT, 2 reqd	01940	4
14.	Screw 8-32 X 3/8" ss round hd, 2 reqd	05814	
15.	Tie, nylon	02195	.02
(-)	Service kit	22859	

KwikFire™ CONTROL SWITCHES





ID	Description	Stock #
Fig1	KwikFire™ 156 Series Control Switch (Repairable)	1015600
-	KwikChange Repair Kit	1015602
1	3 Part Cord Connector	1015560
2	16/2 Electric Power Cord	1015540
3	Ball & Chain Assembly	1015510
4	Hose Clamp (screw type)	1015503
5	ToggleBoot for switch	1015501
6	Cap	1015601

Distribution Glass Jet inc.


650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

INLET VALVE


Description	Stock #	Weight	Description	Stock #	Weight
(-) 1" Inlet valve, complete.	01980	5	(-) 1 1/2" Inlet valve, complete	01995	12
1. Petcock 1/4" NPT	01993		1. Petcock 1/4" NPT	01993	
2. Elbow, 1/8" NPT adapt.	02827		2. Elbow, 1/4" NPT adapt.	02513	
3. Elbow, 1/8" brass street	03993		3. Elbow, 1/8" brass street	03993	
4. Adaptor 1/8"NPT with 1/16" orifice	01945		4. Adaptor 1/8" NPT W/ 1/16" orifice	01945	
5. Bottom cap	01985		5. Bottom cap	02001	1
6. *Spring, 5/8"X1 11/16" long, (1)	01982		6. * Spring, inner, 5/16" X 1 11/16"long.	01982	
7. *Seal, bottom cap (1)	01989		7. *Gasket, bottom cap	02006	
8. Valve plug	01984		8. *Spring, outer	02000	
9. Valve body	01981		9. Valve body	01996	
10. *Washer, valve plug(2)	01969		10. Valve plug	01999	
11. *Retainer, valve plug washer (1)	01986		11. *Washer, valve plug (2)	01998	
12. * O-ring 3/16"ID X 1/16"(1)	01992		12. Retainer valve plug washer (1)	02002	
13. Piston & rod assembly	01987		13. * O-ring, 7/16" OD (1)	02008	
14. *O-ring 1 3/4" OD (1)	01990		14. Piston & rod assembly	02003	
15. Valve cap	01983	1	15. * O-ring, 2 1/4" OD (1)	02007	
(-) Service kit, includes items marked w/* and quantity noted	01929		(-) Service kit, includes items marked w/* and quantity	01927	1



TLR REMOTE CONTROL OUTLET VALVE




Description	Stock#	Weight
(-) 1" Diaphragm outlet valve, complete	03371	7
1. Nipple, 1"X close	01701	
2. Diaphragm	06149	
3. Lockwasher, 1/4"	03117	
4. Cap screw, 1/4"-NC X 1" hex head	03053	
5. Cap, diaphragm outlet valve	03393	1
6. Body, diaphragm outlet valve	06135	4
7. Bushing, 1 1/4" X 1"	01804	




Description	Stock #	Weight
(-) 1" Piston outlet valve, complete	01967	5
1. Elbow 1/4" NPT adaptor	02613	
2. Plug, 1/4" pipe	01950	
3. Bonnet	01970	1
4. Piston & rod assembly	01976	
5. Plug and spindle guide	01971	
6. * Valve plug (1)	01972	
7. * Washer, valve plug(2)	01969	
8. * Retainer, valve plug washer (1)	01986	
9. Valve body	01968	2
10. * Spring, 7/16"X 1 5/8"(1)	01974	
11. Nylon washer	01979	
12. Cap screw 3/8-NC X3/4"	03331	
(-) Service kit, includes items marked w/* and quantity noted	01928	

ABRASIVE TRAP /EXHAUST MUFFLER




Description	Stock #	Weight
(-) Abrasive trap	02011	4
1. * Screen, (3)	02012	
2. * O-ring, (2)	02013	
3. Cap	02014	
4. Body	02015	2
5. Lock bar	02016	
6. Screw, 3/8-NC X 1" thumb	03289	
7. Shoulder screw 3/8" X 3/8"	03291	
8. *Gasket, screen 1/8" thick (1)	02434	
9. Decal, "clean screen"	02129	
(-) Service kit, includes items marked w/* and quantity noted	01925	

Description	Stock #	Weight
(-) Exhaust muffler	05068	2
1. Sciew, 8-32 X 4"	05061	
2. Cap, coated	05067	
3. Body, muffler	05065	
4. Screen	05060	
5. Guide w/lock nut	22344	1
6. O-ring, 1 1/4" ID	05069	
7. Seat	05062	
8. Lock-nut, 8-32 ss	05815	



MILLENNIUM INLET/ OUTLET VALVE WITH MUFFLER



No.	Description	Stock #	Weight	No.	Description	Stock #	Weight
(-)	Millennium inlet/outlet valve, complete	21336	20	18.	Muffler housing, 2 reqd.	21346	
1.	Plunger, urethane tip	22600	2	19.	Exhaust valve body	21345	2
2.	Dual piston	22602	1	20.	Inner sleeve	22612	
3.	Spring, compression	22604		21.	Outlet/ muffler assembly	21731	
4.	Screw w/internal thread for puller	22650					
5.	Upper sleeve	22603	1				
6.	5/16-NC X 1.25 socket head screw, 6 reqd	22611					
7.	Inlet valve body	21338	6				
8.	Cylinder cap	21339	1				
9.	1 1/2" plug	02477					
10.	1/4" hex nipple	02808					
11.	1/4" X 90 female pipe elbow	41235					
12.	1/4" petcock	01993					
13.	1/8" NPT adaptor with 1/16" orifice	01945					
14.	Brass bushing, 1/4" X 1/8"	331826					
15.	1/4" NPS adaptor	02494					
16.	1 1/4" pipe plug	01762					
17.	Piston	22613					

Service kits			
(-)	Millennium Super service kit (includes Inlet, outlet, Plunger & Muffler kits)	22899	1
(*)	Inlet segment seals	22856	
(**)	Outlet segment	22857	
(+)	Outlet muffler	22868	
(++)	Plunger Tip	22898	

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca


SENTINEL PNEUMATIC PRESSURE-HOLD REMOTE CONTROL SYSTEMS

Sentinel Pneumatic pressure-hold remote control Systems provide operator start/stop control at the nozzle without depressurizing the blast machine. Pressure-hold remotes are mandatory on all multiple outlet blast machines as they allow one or more operators to stop blasting without interrupting the blast operation of any other operator who may be blasting from the same machine.

Pneumatic Remote Controls:


System includes: Sentinel abrasive metering valve, 1 1/4" air control valve, abrasive cut-off switch, pneumatic RLX control handle, 50 ft. Twinline hose, and all required hoses and fittings.

Description	Stock#	Weight
SRC-125-C one operator	20663	55
DRC-125-two operator	20671	120




FSV FLAT SAND VALVE

Description	Stock #	Weight	Description	Stock #	Weight
(-) FSV metering valve, complete	02427	16	14. Stud	02436	
1. Upper body	02422	2	15. Packing gland	02437	
2. Valve	02423	1	16. O-ring	21165	
3. Gasket, rubber, 2 required	02424		17. Gasket, shaft	02439	
4. Disc-stainless	02425	2	18. Inspection plate	02440	
5. Lower body	02426	1	19. Cap screw 5/16-NC X 1" hex head	03152	
6. Metering handle, heavy duty	20498	1	20. Wing nut, 5/16- NC	03213	
7. Cap screw, 1/4-NC X 1" hex head	03053		21. O-ring	01990	
8. Wing nut, 1/4- NC	03113		22. Nipple, heavy wall 1 1/2" X close	01791	
9. Handle bolt spacer	02431		23. Wye, standard 1 1/4"	01818	2
10. Valve handle pin	20246		24. Nipple, heavy wall 1 1/4" X 5"	01860	1
11. Gauge unit	02433		25. Nut, 1/2-NC hex	03511	
12. Set screw, 1/4-NC X 1/2" square head	03080		26. Cap screw, 1/2-NC X 13/4" hex head	03455	
13. Spring, compression	01982		27. Washer, 1/4" Flat	03116	
			28. Hitch pin	20245	



QUANTUM-K MANUAL METERING VALVE




No.	Description	Stock #	Weight	No.	Description	Stock #	Weight
(-)	Manual Quantum-K metering valve complete	22845	9	(-)	Conversion kit: Quantum rack & pinion to Quantum-K	22841	
(*)	Service kit Quantum-K metering segment	22854					
1.	Adaptor flange w/insert	21314	2				
2.	Screw, 3/8-NC X 1" socket head	22655					
3.	Lower body	22621	1				
4.	Inspection plate	22620					
5.	Screw, 1/4-NC X 3/4" hex head cap	03052					
6.	Wing nut, 1/4-NC	03113					
7.	Housing, knob	22761					
8.	Nut, knob housing	22762					
9.	Metering plate and shaft	22763					
10.	Metering screw	22764					
11.	Knob, adjustment	22766					
12.	Screw, 5/16-Nc X 3/4" socket head	22767					

QUANTUM AUTO AIR AND GRIT VALVE

No. Description	Stock #	Weight	No. Description	Stock #	Weight
(-) Auto Quantum air valve	21350	13	10. Flange, inlet	22078	1
(-) Auto Quantum grit valve (w/metering assy)	22760	22	11. Screw, 3/8-NC X 1" socket head	22655	
1. Cover, cylinder	21317	1	12. Screw, 5/16-NC X 1 3/4" socket head	21321	
2. Stop, piston	21323		13. Screw, 5/16NC X 1" socket head	21318	
3. Piston	21329	1	14. Spring	20600	2
4. Body	21349	4	15. U-seal, 3 1/2" ID	22606	
5. Plunger, for air valve	21343	1	16. O-ring, 1 1/2" ID	20267	
grit valve	21326	1	17. Wiper, plunger	20268	
6. Wear sleeve	21342		18. O-ring, 31/64" ID	22609	
7. Seat, urethane	21344		19. Roll pin, 1/8" X 1/2"	21164	
8. Gasket, flange	21322		20. Retaining ring, seat	22429	
9. Flange threaded outlet	22077		21. O-ring, 1 1/2" ID	22623	
			22. Felt disc	22820	
			23. Metering valve see page before		

NOTE: (A) Includes items 10 & 11 exclusively for the Quantum air valve. (B) is the Quantum metering valve. All other items are common to the actuator.




Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

SENTINEL METERING VALVE


No. Description	Stock #	Weight	No. Description	Stock #	Weight
For abrasives 50 mesh or coarser:					
(-) Sentinel valve with ACS	20508	22	17. Cap screw 1/2-NC	03457	
(-) Sentinel valve without ACS	20608	22	18. Nut, 1/2-NC hex head	03511	
For abrasives 50 mesh or finer			19. Handle, metering	20498	1
(-) Sentinel valve without ACS	21439	22	20. Pin, valve handle	20246	
1. Cylinder cap	20512	1	21. Close nipple, 1 1/4"	01717	
2. Cap screw, 3/8-NC X 1 1/2"	03267		22. Wye, 1 1/4" standard	01818	2
3. Adaptor, 1/8" NPS	01940		23. Washer 5/16" flat	03216	
4. Piston cup	20515	1	24. Lower body	20511	2
5. Piston, shut-off	20494	1	25. Flanged adaptor w/ inspection opening	20513	1
6. Spring, 2" OD X 4 1/2"	20600	2	26. Nut, 3/8-NC hex head	03311	
7. Upper body	20514	6	27. Nut, 5/16-NC wing	03213	
8. Cap screw, 5/16-NC X 3/4"	03151		28. Flanged adaptor w/o inspection opening	20522	
9. Wear sleeve	20495	1	29. Hitch pin	20245	
10. Seat plate	20497	1	30. Petcock	01993	
11. Metering plate & stem			31. Gauge unit	02433	
coarse abrasive	20499	1	32. Stud, gauge unit	02436	
fine abrasive	21438	1	33. Set Screw, 1/4-NC	03080	
12. Packing gland	21021		34. Spacer, handle bolt	02431	
13. Spring, 5/8" ID X 1 11/16"	01982		35. Cap screw, 1/4-NC X 1"	03053	
14. Close nipple, 1 1/2"	01791		36. Nut, 1/4-NC wing	03113	
15. Inspection plate	02440		37. Washer, 1/4" flat	03116	
16. Cap screw, 5/16-NC	19509		38. Connector, 1/8 brass	01962	
			39. Valve, 3-way, ACS	07658	
			40. Breather muffler	07657	
			(-) Upper service kit	22388	
			(+) Lower service kit	22389	



GRIT VALVE CLEMCO (SCHEMA)

Application Notes:

Can be used with most abrasives, including steel
Grit/Shot, however, not recommend fore fine glass
Bead, plastic media, stardblast, alox.






Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

GRIT VALVE CLEMCO

No.	Description	Stock #
--	Grit valve complete	02066
--	Metering knob assembly (not shown)	05072
2	Retaining pin	02068
3	Control stem	02069
3	Grit valve replacement knob kit	20216
4	Packing nut	02070
5	Packing follower (see 10C20216)	02071
6	Packing	02072
7	See 10C20216	02073
8	Valve cover	02074
9	Head cap screw (3/8" NC x 2-1/2")	03258
10	Valve stem nut	02076
11	Valve ball & stem	02077
12	Diaphragm (2 required)	21308
13	Outer spacer ring	02079
14	Inner spacer ring	02080
15	Valve ball seat	02081
16	Valve ball seat gasket	02082
17	Valve body	02083
18	1/4" standard pipe plug	01950
19	Clean out cap	02084
20	O-ring (1-1/8" ID x 1/8")	01097
21	Spacer stud	02085
22	Shoulder screw, 1/2" x 3/4"	03492
23	Thumb screw, 3/8" NC x 1"	03289
24	Clamp bar	02086
25	Grit valve clean out assembly	02127

CLEMCO MANUAL PINCH TUBE



Features :

- Knob is turned to adjust abrasive flow


Application Notes:

- Can meter virtually all abrasives

No.	Description	Stock #
Fig.1	Manual pinch tube metering valve	04321
1.	Grit valve pinch tube, 1" i.d. vert	04635
2.	Cover plate	05674
3.	Metering knob Assembly	05072
4.	O-ring	01990
5.	Inspection plate	02440
6.	45 degree adaptor flange	05672
7.	Flange adaptor	05673
8.	Pinch valve body (2 required)	05677
9.	Pinch Tube	6108228

PARTS FOR PNEUMATIC GRIT VALVE

Stock #	Description
7004319	"Grit" valve complète / grit valve assembly
7004635	Tube (vert) / Pinch valve
7005071	Membrane / Diaphragm
7005072	Poignée de contrôle complète / Metering knob assembly
7001990	Joint torique / O-ring
7002440	Plaque d'inspection / Inspection plate
7005672	Adapteur 45 degré / 45 degré flange adaptor
7005673	Adapteur / Flange adaptor
7005691	Boulon complet / lock stud assembly



SENTINEL PNEUMATIC REMOTE CONTROL SYSTEM

No. Description	Stock #	No. Description	Stock #
(-) Pinch Tube Air Valve Assembly	04320	19. Clamp assembly kit	20660
1. Body, pinch valve, machined	05677	20. Cap screw, 3/8-nc x 3-1/2"	03261
2. Body, actuator	05678	21. Flange washer, 3/8"	03317
(includes items 8 & 9)		22. Lockwasher, 3/8"	03318
3. Spring chamber replacement kit.....	20374	23. Cap screw, 5/16-nc x 1-1/2"	03154
4. Cap screw, 1/4-nc x 1-1/2"	03055	24. Nut, 5/16-nc hex head	03211
5. Nut, 1/4-nc hex head	03111	25. Flatwasher, 5/16"	03216
6. Flatwasher, 1/4"	03116	26. Lockwasher, 5/16"	03217
7. Lockwasher, 1/4"	03117	27. Flatwasher, s/s	05694
8. Bushing, actor body	05684	28. Adapter, 1/4" nps	02494
9. Seal, actor body	05685	29. Petcock	01993
10. Plunger, actor	05676	30. Lock-stud assembly	05691
11. Shaft, actuator	05670	(includes nut)	
12. Return spring	05686	31. Nut, Lock-stud, 1/2-10	07628
13. Plate, return spring	05687	32. Cap screw, 1/4-nc x 2-1/2"	03059
14. Screw, flat head, 1/4-nc x 5/8"	03090	33. Pipe nipple, 1/4" x 2"	01828
15. Diaphragm kit	05071	34. Tee, 1/4" npt brass	02025
16. Pinch Tube, 1-1/4" ID Brun	07730	35. Plug, lock-stud port	05683
17. Flanged adapter	05673	(-) Warning label and decal kit	20661
18. Cover plate	05674	(not shown)	




Figure 5.

APOLLO 20HP SUPPLIED AIR RESPIRATOR





Figure 8.

No. Description	Stock #	Weight
(-) Apollo 20, w/acv-II air control valve, complete.....	21419	8
(-) Apollo 20, w/constant flow connector, complete.....	20975	8
(-) Apollo 20, w/cool air tube complete.....	21420	9
(-) Apollo 20, w/climate control tube, complete.....	21421	10
(-) Constant flow connector, HP, (alternate) does not includ belt.	21415	
(-) Cool air tube with belt.....	04410	
(-) Climate control tube with belt..	04411	
(-) Low pressure conversion kit. Converts Apollo 20 high pressure Grade "D" Compressed air respirator to low pressure (ambient) air respirator	22680	10
2. ACV-II air control valve w/belt..	100024	1
2. Belt assembly, 2".....	04430	<.5
3. Respirator hose, 3/8" x 25 ft. (alternate) includes items 6 & 7	04397	3
4. Respirator hose, 3/8" x 50 ft. (alternate) includes items 6 & 7	04415	3
5. Respirator hose, 3/8" x 100 ft. (alternate) includes items 6 & 7	04398	12

No. Description	Stock #	Weight
6. Adaptor, 3/8" hose to 3/8" pipe	00022	<.5
7. Union, 3/8" hose to 3/8" hose..	01020	<.5
8. Disconnect, 1/4" female.....	00025	<.5
9. Adaptor, 3/8" hose to 1/4" pipe	01019	<.5
10. Gasket, model window.....	99996	<.5
11. Inner lens, 4-5/8" x 6-5/8" , .125" Package of 5.....	21409	1
12. Middle lens, 5" x 7" , .094" Package of 5.....	21410	1
13. Cover lens, perforated, .0075" Package of 25.....	21411	<.5
14. Gasket lens frame.....	21041	<.5
15. Lens frame.....	20976	<.5
16. Suspension.....	10532	<.5
17. Chin strap.....	04460	<.5
18. Chin strap, holder, 2 required	21696	<.5
19. Screw, 8/32 x 1/2" ph hd, 2 required.....	21119	<.5
20. Latch, lens frame, rubber.....	21298	<.5
21. Cape attachment strap.....	10534	1
22. Cape with inner collar.....	21301	1
23. Breathing tube assembly w/swivel ends.....	22811	1
24. Air channel partition kit	21118	<.5
25. Button, rubber latch	21040	<.5
26. O-Ring, 11/16" ID x 7/8" OD..	22815	<.5
27. Nut, lens frame.....	90041	<.5
28. Screw, lens frame.....	90295	<.5
29. Screw, 6/32" x 1/2".....	21402	<.5
30. Screw, 6/32" x 1".....	21403	<.5

APOLLO 60 HP SUPPLIED AIR RESPIRATOR


No. Description	Stock #	Weight
(-) Apollo 60 HP with:		
Constant-flow conn.	21300	7.5
Air control valve	10505	7.5
Cool-air tube	10508	8.4
Climate control tube	10509	8.9
(-) Apollo 60 HP with 50 ft. Respirator hose and:		
Constant-flow conn.	20213	15.5
Air control valve	10510	15.5
Cool-air tube	10511	16.4
Climate control tube	10512	16.9
(-) Apollo 60 HP with 50 ft. Respirator hose, CPF 20 air filter and:		
Constant-flow conn.	20214	35.5
Air control valve	10513	35.5
Cool-air tube	10514	36.4
Climate control tube	10515	36.9
1. Belt assy. 2"	04430	.2
2. Respirator hose, 3/8 x 25 ft	04397	3.18
3. Respirator hose, 3/8 x 50 ft	04415	6.12
4. Respirator hose, 3/8" x 100 ft.	04398	11.8
5. Adapt. 3/8" hose x 3/8" npt	00022	.08
6. Union 3/8" hose	01020	.08
7. Disconnect, 1/4" female	20444	.18
8. Adapt., 3/8" hose x 1/4" npt	01019	.08
9. Acoustical foam kit	04369	.06
10. Gasket , window	04452	.34
11. Inner lens, 5 7/16" x 14 5/8", .040", package of 5	04367	.5
12. Outer lens, 5 3/4" x 16 7/8", .0075",perforated, pack. of	04361	1
13. Window frame kit	08741	.26
14. Chin strap	04460	.02



No. Description	Stock #	Weight
15. Handle strap	03623	
16. Suspension	10532	.16
17. Cape attachment strap	10534	.52
18. Cape with inner collar	04435	.96
19. Breathing tube	22811	.82
20. Washer, breathing tube pack of 6	04370	.02
21. Inner collar kit	08740	.14
22. Window latch kit	04368	.06
23. O-ring	21561	.02

APOLLO 600 HP SUPPLIED AIR RESPIRATOR

Description	Stock #	Weight
(-) Apollo 600 HP less respirator hose with:		
Constant-flow connector	24001	8
Air-control valve	24002	8
Cool-air tube	24003	9
Climate control tube	24004	9.5
(-) Apollo 600 hp with 50ft. respirator hose and:		
Constant-flow connector	24771	14
Air-control valve	24210	14
Cool-air tube	24211	15
Climate-control tube	24212	16
(-) Apollo 600 HP with 50ft. respirator hose, CPF-20 air filter and:		
Constant-flow connector	24272	33
Air-control valve	24213	33
Cool-air tube	24214	34
Climate-control tube	24215	35
1. Air control valve	100024	.5
2. Belt assembly	04430	.5
3. Respirator hose 3/8" x 25'	04397	1.5
4. Respirator hose 3/8" x 50'	04415	
5. Respirator hose 3/8" x 100'	04398	
6. Adaptor, 3/8" hose x 3/8" npt	00022	
7. Union, 3/8" hose	01020	
8. Disconnect, 1/4" female	00025	
9. Adaptor, 3/8" to 1/4" npt	01019	
10. Acoustical foam kit, sides	04369	
11. Gasket, window	23819	
12. Inner lens, 5 7/16" x 14 5/8", .040", package of 5	04367	.5
13. Middle lens, 5 5/8" X 17", .020", package of 5	24943	.5
13. Middle lens, 5 5/8" X 17", .020", package of 25	04373	1
14. Outer lens, 5 3/4" x 16 7/8", .0075",perforated, pack. of 25	04361	1




Apollo 600 HP Supplied Air Respirator

Description	Stock #	Weight
16. Window frame assembly	24012	1
17. Chin strap	04460	.5
18. Handle strap	03623	.5
19. Suspension (-) Metal clips, (pk of 4) not shown	23802	.5
20. Cape attachment strap	24773	1
21. Cape silver grey, with red inner collar	23801	.5
22. Breathing tube w/swivel ends	23818	1
23. O-ring, 11/16" ID x 7/8" OD 2 required	22811	1
24. Inner collar	22815	.5
25. Window latch kit, incl: base and screws	08740	.5
26. Inlet fitting	24006	1
27. Chin strap holder kit w/fasteners	23804	.5
28. Partition, air baffle	24008	1
	23811	.5

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

APOLLO 60 LP SUPPLIED AIR RESPIRATOR




No. Description	Stock #	Weight	No. Description	Stock #	Weight
(-) Apollo 60 LP w/CFC, less respirator hose	22081	7.5	11. Chin strap	04460	.02
(-) Apollo 60 LP w/CFC, and 50 ft. Respirator hose	22082	21.5	12. Handle strap	03623	
1. Constant-flow connector low pressure	21429	.22	13. Suspension	10532	.16
2. Belt	04430	.20	14. Cape attachment strap	10534	.52
3. Respirator hose, 1/2" X 50 ft.	22510	5.75	15. Cape with inner collar	04435	.96
4. Respirator hose, 1/2" X 100 ft.	21413	11.5	16. Breathing tube	22811	.82
5. Acoustical foam kit	04369	.06	17. Washer, breathing tube, pack of 6	04370	
6. Gasket, window Inner lens, 5 7/16" x 14 5/8",	04452	.34	18. Inner collar kit	08740	.02
7. .040", package of 5 Middle lens, 5 5/8" X 17",	04367	0,5	19. Window latch kit	04368	.06
8. .020", package of 25 Outer lens, 5 3/4" x 16 7/8",	04373	1	20. O-ring, 7/8" ID X 1 1/16" OD	22349	
9. .0075",perforated, pack. of 25	04361	1			
10. Window frame kit	08741	.26			

Distribution Glass Jet inc.


650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

APOLLO COOL-AIR TUBE FOR HP MODEL RESPIRATORS



No. Description	Stock #	Weight	No. Description	Stock #	Weight
(-) Cool-air tube w/belt	04410	1.5	11. Spacer, wide	08968	
1. Belt	04430	.20	12. Helmet tube connection	08971	.12
2. Quick disconnect	08449	.06	13. Screen	08973	
3. Elbow, 1/4" male	08869	.1	14. Heat shield	08981	.18
4. Seal kit (4 o-ring)	08870		15. Knob with set screws	08985	.04
5. Cool end venturi kit	08871	.02	16. Body	08961	.32
6. Valve stem	08962		17. Machine screw, rnd. Hd. 10-24 X 1/4"	08980	
7. Valve insert	08963	.02	18. Belt clip	08974	.06
8. Vortex tube assembly	23030				
9. Spacer, narrow	08966				
10. Tube, venturi	08967	.02			
Repair Kit	4410Kit				
8870-8871-8968		.02			

APOLLO CLIMATE CONTROL TUBE FOR HP MODEL RESPIRATORS



**Climate-Control Tube
CCT**


No.	Description	Stock #	Weight	No.	Description	Stock #	Weight
(-)	Climate control tube with belt	04411	2.0	15.	Lower valve plate	08830	.02
1.	Cool end venturi	08846	.02	16.	Upper valve plate	08831	.02
2.	Seal kit (includes all O-rings and seals)	08845		17.	Support washer	08832	
3.	Screen	08973		18.	Outlet fitting	08833	.06
4.	Quick disconnect	08449	.06	19.	Body housing	08834	.22
5.	Body	08825	.32	20.	Control lever	08835	
6.	Orifice, hot end	08826	.04	21.	Spring	08844	
7.	Plug	08827	.02	22.	Machine screw, 6-32 X 1/4"	03870	
8.	Vortex tube assembly	23030		23.	Set screw, 1/4"-NC X 1/2"	03072	
9.	Spacer, narrow	08966		24.	Spacer	08836	
10.	Venturi	08967	.02	25.	Pin, valve plate	08838	.02
11.	Spacer, wide	08968		26.	Machine screw, 10-24 X 1/2"	03886	
12.	Threaded retainer	08829	.06	27.	Belt	04430	.2
13.	Elbow, 1/4" male	08869	.1	28.	Heat shield	08981	.18
14.	Belt clip	08974	.06				

CPF-20 AIR FILTER FOR HP MODEL RESPIRATOR

WARNING !!!

The CFP will not remove carbon monoxide or other toxic gases.

No.	Description	Stock #	Weight
(-)	CPF-20 Air filter, with regulator	03578	21.0
(-)	CPF-20 Air filter, without regulator	03577	19.0
(-)	Filter cartridge adaptor kit	03569	1.36
1.	Handle (strap)	03623	
2.	Pressure gauge	00024	.14
3.	Pressure relief valve	01909	.1
4.	Tee, 3/8" NPT, male branch	41340	
5.	Filter cartridge	03547	3.54
6.	3/8" NC X 1" hex head cap screw	03252	.04
7.	Washer, 3/8"ID X 1 1/4" OD	03310	.04
8.	3/8" -NC hex nut	03311	
9.	1/4" petcock	01993	.1
10.	Base bracket	03557	.54
11.	Pipe plug, 1" NPT	03532	.26
12.	1/2" SAE flat washer	03515	
13.	1/2" -NC hex nut	03511	.04
14.	Gasket and o-ring kit	08942	.08
15.	3/8" dia. Lock washer	03318	
16.	Nipple, 3/8" NPT X 2", brass	03720	
17.	Air filter cap	03584	1.86
18.	Plug, 3/8" NPT, brass	03536	.06
19.	Stud, filter cap	03545	.08
20.	Pressure regulator	03582	.9




CPF-80 AIR FILTER FOR HP MODEL RESPIRATORS

WARNING !!!


The CFP will not remove carbon monoxide or other toxic gases.

No.	Description	Stock #	Weight
(-)	CPF-80 air filter assembly	03527	22.0
(-)	Filter cartridge adaptor kit	03569	1.36
1.	Filter cartridge	03547	3.54
2.	Cap screw, 3/8-NC X 1" hex head	03252	.04
3.	Washer, 1 1/4" OD	03310	.04
4.	Nut, 3/8-NC	03311	
5.	Petcock 1/4"	01993	.1
6.	Base bracket	03557	.54
7.	Plug, 1" NPT	03532	.26
8.	Washer, 1/2" SAE flat	03515	
9.	Nut, 1/2-NC	03511	.04
10.	Gasket and o-ring kit	08942	.08
11.	Washer, 3/8" lock	03318	
12.	Stud, 1/2-NC X 2"	03545	.08
13.	Handle strap	03623	
14.	Pressure gauge	00024	
15.	Cross manifold, 3/8" NPT	22941	
16.	Nipple, 3/8"NPT hex	03596	
17.	Relief valve, 1/4" NPT	01909	.1
18.	Pressure regulator, 3/8" NPT large body	22939	
19.	Cap, CPF filter	03584	1.86
20.	Plug, 3/8" NPT brass	03536	.06




APOLLO CAP-1 AMBIANT AIR PUMP FOR LP MODEL RESPIRATORS

No	Description	Stock #	Weight	Optional Accessories		
(-)	CAP-1 Ambiant air pump	22383	65	No Description	Stock #	Weight
1.	Filter media, inlet filter	21830	.02	(-) Remote air inlet kit, 50 ft.	21837	16.0
2.	Filter cartridge, outlet filter	15030	.02	(-) Extension kit, remote air, 50 ft.	21838	75.0
3.	Gasket, outlet filter bowl	21831		(-) Elevated inlet kit	21839	5.0
4.	Gauge, 1/4" pressure, 0-30 PSI	21832	.16	(-) Outlet filter less element	22433	1.12
5.	Relief valve	21833	.14			
6.	Disconnect, 3/8"	21834	.42			
7.	Vanes, set of 4	21835	.28			
8.	Inlet filter assembly	21836	.43			




APOLLO CAP-4 AMBIENT AIR PUMP FOR LP MODEL RESPIRATORS

No	Description	Stock #	Weight	No	Description	Stock #	Weight
(-)	CAP-4C with cart	22384	205	11.	Element, exhaust filter	05065	.1
(-)	CAP-4 with frame	22530	175	12.	Petcock, drain	01993	.1
1.	Filter media, inlet filter	21830	.02	13.	Flow valve, 1/2" w / handle	01241	.36
2.	Filter cartridge, outlet filter	15030	.02	14.	Outlet filter less element	22433	1.12
3.	Gasket, outlet filter bowl	21831		Optional Accessories			
4.	Gauge, 1/4" pressure, 0 - 30 PSI	21832	.16	No	Description	Stock #	Weight
5.	Relief valve	22434	.36	(-)	Remote air inlet kit, 50 ft.	21837	16.0
6.	Disconnect, 3/8" open type	21834	.42	(-)	Extension kit, remote air, 50 ft.	21838	75.0
7.	Disconnect, 1/2" closed type	22438	.46	Note: La pompe CAP-4, fourni soit pour deux cagoules de sablage ou six demi-masques.			
8.	Inlet filter assembly	22452	.26				
9.	Filter / regulator, 1/2"	05530	2.68				
10.	Lubricator, 1/2"	05531	1.14				



CARBON MONOXYDE MONITOR, CMS-2 PORTABLE


No. Description	Stock #	Weight	No. Description	Stock #
(-) CMS-2 CO monitor package, includes: monitor, calibration connector, and 10 PPM test gas	22894	9	6. Alarm light, exterior w/ wire	22923
1. CMS-2 CO monitor (instrument only)	22892	7	7. Fitting, 1/4" OD quick fit	22924
2. Calibration connector assembly	22893		8. Tubing, urethane, per foot	12475
3. Test gas 10 PPM Test gas, impurity free	22865 11132		(-) sensor (not shown)	22919
4. Flowmeter	21376		(-) Regulator / filter (not shown)	22920
5. Horn w/ wire, 12 volt DC	22922		(-) Filter element (not shown)	22921



Description	Stock #	Description	Stock #
(-) Air line humidifier, used with CMS-2 only	03600	(-) Remote alarm kit Includes: alarm. Stand. wiring connector	22909
(-) Cable, remote alarm extension 50 ft.	22910	50 ft. Cord	

CARBON MONOXYDE MONITOR, CMS-1
STATIONARY INSTALLATION

No. Description	Stock #	Weight	No. Description	Stock #
(-) CMS-1 CO monitor package includes: monitor. calibration connector. and 10 PPM test gas	23017	7.5	7. Adaptor, straight, 1/8" NPT X 1/8" barb	11732
1. CMS-1 CO monitor Includes: monitor & items 4 to 10	23012	5.5	8. Adaptor, elbow, 1/8" NPT X 1/8" barb	11733
2. Calibration connector	23011		9. Tubing, urethane per foot	12475
3. Test gas 10 PPM Test gas, impurity free	22865 11132		10. reducer, 1/4" X 1/8"	02026
4. Regulator / Filter	23013		(-) Sensor (not shown)	23015
5. Flowmeter	21376		(-) Filter element (not shown)	23014
6. Horn w/ wire, 12 volt DC	22922		(-) Remote alarm kit Includes: alarm, stand, wiring connector, and 50 ft. Cord	22909
			(-) Cable, remote alarm extension, 50 ft.	22910




BULLARD HELMET SERIES 88VX

	Model	Description
	88VX1330	Bullard helmet series 88VX; breathing tube, constant air connector with nylon belt 38" nylon cape
	88VX3230	Bullard helmet series 88VX; breathing tube, constant air connector with nylon belt 28" nylon cape
	46VX	Nylon cape, 28" length
	13VX	Nylon cape, 38" length

BULLARD REPLACEMENT PARTS

	Model	Description
	21VX	Nylon cape " Golden gate" 38" length
	36VX	Hibernia nylon cape 38" length
	36XLVX	Hibernia nylon cape 38" length extra-large size
	EVX30	Breathing tube 88VXBT with F30 coupling, industrial plug 1/4" and nylon belt
	EVX35	Breathing tube 88VXBT with F35 coupling, industrial plug 1/2" and nylon belt
	EVX40	Breathing tube 88VXBT with flow control valve, industrial plug 1/4" and nylon belt

BULLARD REPLACEMENT PARTS

	Model	Description
	88VXTGP 88VXRTP	Standard headband suspension Ratchet headband suspension
	TT3	Sportek brow pad
	TT3VI	Vinyl brow pad
	99PL	Inner shell
	88VXOS	Outer shell
	88CA	Replacement carrying strap
	88VXAK	Maintenance kit- door/gasket/latch
	G7713	Window frame gasket

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

BULLARD REPLACEMENT PARTS

	Model	Description
	F30	Industrial constant air connector, 1/4" and nylon belt
	F35	Industrial constant air connector, 1/2" and nylon belt
	F40	Industrial flow control valve 1/4" and nylon belt
	4612	Nylon belt
	88VXBT	Breathing tube
	88CK	Breathing tube connector 88CK respiratoire
	20NC	Chin strap for 88VX or 99PL
	88CS	Chin strap for 88PL
	77040 77020 77020A	Inner lens, 4 1/2" x 12 13/16", 0,040" Outler lens, 5" x 14", 0.020" Outler lens, 5" x 14", 0.020" (with blue plastic)

BULLARD REPLACEMENT PARTS

	Model	Description
	41 AF	Filter cartridge Distributor
 	MV2400	Muffler / Valve assembly
	HC2400BB	Belt bracket
	EDP10	Ambiant air pump 3/4 HP 110 Volt
	23611	Inlet filter
	S17101	Outlet filter
	15921	Repair kit for pump EDP-10

NOVA REPLACEMENT PARTS

	Model NV-2000XL	Description NOVA HELMET with breathing tube constant air connector nylon belt and cape 38"
	NV2002XL	Nova cape 38"
	NV2009/ S-M-L	Helmet lining kit



NOVA REPLACEMENT PARTS

	Model	Description
	NV-2021	Breathing tube
		
	NV-2004	Window frame kit
	NV-2003	Window gasket
	NV-2018	Inner lens
	NV-2017	Outer lens (tear off)
	NV-2031	Outer lens (rigid)

BULLARD PAINTING MASK

	Modèle	Description
	SPEC40S	Full-face continuous air flow with air connector 1/4" Size small
	SPEC40L	Full-face continuous air flow with air connector 1/4" Size medium/large
	LC	Self-adhesive flexible visor 25/pkg
	FAMB30S	HP Half-mask positive pressure airline respirator Small
	FAMB30M	HP Half-mask positive pressure airline respirator Medium
	FAMB30L	HP Half-mask positive pressure airline respirator Large
	FAMB35S	LP Half-mask positive pressure airline respirator Small
	FAMB35M	LP Half-mask positive pressure airline respirator Medium
	FAMB35L	LP Half-mask positive pressure airline respirator Large

SAFETY ACCESSORIES

	<u>Nylon blast suit</u> <table><thead><tr><th>Description</th><th>Stock #</th><th>Weight</th></tr></thead><tbody><tr><td>Size (M)</td><td>22914</td><td>2.0</td></tr><tr><td>Size (L)</td><td>22915</td><td>3.0</td></tr><tr><td>Size (XL)</td><td>22916</td><td>3.0</td></tr><tr><td>Size (XXL)</td><td>22917</td><td>3.5</td></tr><tr><td>Size (XXXL)</td><td>1860N</td><td>4.0</td></tr></tbody></table>	Description	Stock #	Weight	Size (M)	22914	2.0	Size (L)	22915	3.0	Size (XL)	22916	3.0	Size (XXL)	22917	3.5	Size (XXXL)	1860N	4.0							
Description	Stock #	Weight																								
Size (M)	22914	2.0																								
Size (L)	22915	3.0																								
Size (XL)	22916	3.0																								
Size (XXL)	22917	3.5																								
Size (XXXL)	1860N	4.0																								
Blast suit nylon/cotton																										
	<u>Leather blast suit</u> <table><thead><tr><th>Description</th><th>Stock #</th><th>Weight</th></tr></thead><tbody><tr><td>Size (S)</td><td>08920</td><td>4.0</td></tr><tr><td>Size (M)</td><td>08921</td><td>4.0</td></tr><tr><td>Size (L)</td><td>08922</td><td>4.5</td></tr><tr><td>Size (XL)</td><td>08923</td><td>5.0</td></tr><tr><td>Size (XXL)</td><td>1858C</td><td>5.0</td></tr><tr><td>Size (XXXL)</td><td>1860C</td><td>5.5</td></tr></tbody></table> <u>Leather gloves</u> <table><tbody><tr><td>Leather glove (bue)</td><td>1.0</td></tr><tr><td>Leather glove (red)</td><td>1.0</td></tr></tbody></table>	Description	Stock #	Weight	Size (S)	08920	4.0	Size (M)	08921	4.0	Size (L)	08922	4.5	Size (XL)	08923	5.0	Size (XXL)	1858C	5.0	Size (XXXL)	1860C	5.5	Leather glove (bue)	1.0	Leather glove (red)	1.0
Description	Stock #	Weight																								
Size (S)	08920	4.0																								
Size (M)	08921	4.0																								
Size (L)	08922	4.5																								
Size (XL)	08923	5.0																								
Size (XXL)	1858C	5.0																								
Size (XXXL)	1860C	5.5																								
Leather glove (bue)	1.0																									
Leather glove (red)	1.0																									
Blast suit leather/cotton																										
	<table><thead><tr><th>Description</th><th>Stock #</th><th>Weight</th></tr></thead><tbody><tr><td>Air control valve/w belt</td><td>100024</td><td>.60</td></tr><tr><td>Constant-flow connector for HP models:</td><td></td><td></td></tr><tr><td>Without belt</td><td>21415</td><td>.25</td></tr><tr><td>With belt</td><td>21422</td><td>.60</td></tr><tr><td>Constant-flow connector for LP models:</td><td></td><td></td></tr><tr><td>Without belt</td><td>21429</td><td>.25</td></tr><tr><td>with belt</td><td>21777</td><td>.60</td></tr></tbody></table>	Description	Stock #	Weight	Air control valve/w belt	100024	.60	Constant-flow connector for HP models:			Without belt	21415	.25	With belt	21422	.60	Constant-flow connector for LP models:			Without belt	21429	.25	with belt	21777	.60	
Description	Stock #	Weight																								
Air control valve/w belt	100024	.60																								
Constant-flow connector for HP models:																										
Without belt	21415	.25																								
With belt	21422	.60																								
Constant-flow connector for LP models:																										
Without belt	21429	.25																								
with belt	21777	.60																								
	<table><thead><tr><th>Description</th><th>Stock #</th><th>Weight</th></tr></thead><tbody><tr><td>Tuque hood</td><td></td><td></td></tr><tr><td>PolyCotton</td><td>77-4461</td><td></td></tr><tr><td>Polyester</td><td>77-4461-1</td><td></td></tr></tbody></table>	Description	Stock #	Weight	Tuque hood			PolyCotton	77-4461		Polyester	77-4461-1														
Description	Stock #	Weight																								
Tuque hood																										
PolyCotton	77-4461																									
Polyester	77-4461-1																									

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

TUNGSTEN CARBIDE LONG VENTURI STYLE

TUNGSTEN CARBIDE LONG VENTURI STYLE			Thread			Entry		Jacket		
Model	Length	Stock	1 1/4"	Contractor	Flanged w/Qk Cplg	1"	1 1/4"	Metal	Urthane	RUBBER
3/16" Orifice - 45 cfm @ 100 psi										
TSR-3	4"	04950	•			•			•	
CSD-3	4"	01384	•			•		•		
TMP-3	5-3/4"	23519		•		•				•
TMP-3	4"	05452		•		•			•	
1/4" Orifice - 81 cfm @ 100 psi										
TSR-4	5-1/4"	04951	•			•			•	
CSD-4	5-1/4"	01385	•			•		•		
TMP-4	6"	23520		•		•				•
TMP-4	5-1/4"	05453		•		•			•	
5/16" Orifice - 137 cfm @ 100 psi										
TSR-5	5-5/8"	04952	•			•			•	
CSD-5	5-5/8"	01386	•			•		•		
TMP-5	6-1/4"	23521		•		•				•
TMP-5	5-5/8"	05454		•		•			•	
3/8" Orifice - 196 cfm @ 100 psi										
TSR-6	6-1/2"	04953	•			•			•	
CSD-6	6-1/2"	01387	•			•		•		
TMP-6	6-3/4"	23522		•		•				•
TMR-6	6-1/2"	05455		•		•			•	
TXP-6	6-3/4"	23525		•			•			•
TXR-6	6-1/2"	92026		•			•		•	
TXD-6	6-1/2"	99147		•			•	•		
SDX-6	6-1/2"	01394			•		•	•		
TFR-6	6-1/2"	04968			•		•		•	
7/16" Orifice - 254 cfm @ 100 psi										
TSR-7	7-13/4"	04953	•			•			•	
CSD-7	7-13/4"	01387	•			•		•		
TMP-7	7-13/4"	23523		•		•				•
TMR-7	7-13/4"	05455		•		•			•	
TXP-7	7"	23525		•			•			•
TXR-7	7-13/4"	92026		•			•		•	
TXD-7	7-13/4"	99147		•			•	•		
SDX-7	7-13/4"	01394			•		•	•		
TFR-7	7-13/4"	04968			•		•		•	

* Quick coupling nozzle holder is included. Coupling gasket serves as nozzle washer



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

TUNGSTEN CARBIDE NOZZLES

TUNGSTEN CARBIDE LINED			Thread		Entry	Jacket	
Model	Length	Stock	1 1/4"	Contractor	1"	Metal	RUBBER
3/16" Orifice - 45 cfm @ 100 psi							
TJP-3	3-3/4"	23507	•		•		•
CJD-3	3"	01378	•		•	•	
TYP-3	3-3/4"	23501		•	•		•
1/4" Orifice - 81 cfm @ 100 psi							
TJP-4	3-3/4"	23508	•		•		•
CJD-4	3"	01379	•		•	•	
TYP-4	3-3/4"	23502		•	•		•
5/16" Orifice - 137 cfm @ 100 psi							
TJP-5	3-3/4"	23509	•		•		•
CJD-5	3"	01380	•		•	•	
TYP-5	3-3/4"	23503		•	•		•
3/8" Orifice - 196 cfm @ 100 psi							
TJP-6	3-3/4"	23510	•		•		•
CJD-6	3"	01381	•		•	•	
TYP-6	3-3/4"	23504		•	•		•
7/16" Orifice - 254 cfm @ 100 psi							
TJP-7	3-3/4"	23511	•		•		•
CJD-7	3"	01382	•		•	•	
TYP-7	3-3/4"	23505		•	•		•
1/2" Orifice - 338 cfm @ 100 psi							
TJP-8	3-3/4"	23512	•		•		•
CJD-8	3"	01383	•		•	•	
TYP-8	3-3/4"	23506		•	•		•



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

SPECIALTY NOZZLES

Description	Stock no.	Weight
1" ENTRY, BORON CARBIDE, LONG VENTURI NOZZLES, METAL JACKET 1-1/4" THREAD (Nozzle includes NW-4 washer)		
BSD-4 1/4" orifice x 5-1/4" long.....	01419	2
BSD-5 5/16" orifice x 5-5/16" long.....	01420	2
BSD-6 3/8" orifice x 6-1/2" long.....	01421	2
BSD-7 7/16" orifice x 7-3/4" long.....	01422	2
BSD-8 1/2" orifice x 8-13/16" long.....	01423	2



MARCO BLAZE NOZZLES

1" STANDARD ENTRY W/1-1/4" STANDARD THREADS
LONG VENTURI NOZZLE W/SILICON LINER
LIGHT WEIGHT URETHANE JACKET

#4 1/4" orifice.....	10SN4UN
#5 5/16" orifice.....	10SN5UN
#6 3/8" orifice.....	10SN6UN
#7 7/16" orifice.....	10SN7UN



CLEMLITE® SILICON CARBIDE NOZZLES

CLEMLITE® LINED LONG VENTURI STYLE			Thread			Entry		Jacket	
Model	Length	Stock	1 1/4"	Contractor	Flanged w/Qk Cplg	1"	1 1/4"	Metal	RUBBER
3/16" Orifice - 45 cfm @ 100 psi									
SSD-3	4"	01617	•			•		•	
SSR-3	4"	04702	•			•			•
SMD-3	4"	04520		•		•		•	
SMR-3	4"	04538		•		•			•
1/4" Orifice - 81 cfm @ 100 psi									
SSD-4	5-1/4"	01618	•			•		•	
SSR-4	5-1/4"	04703	•			•			•
SMD-4	5-1/4"	04521		•		•		•	
SMR-4	5-1/4"	04539		•		•			•
5/16" Orifice - 137 cfm @ 100 psi									
SSD-5	5-5/8"	01619	•			•		•	
SSR-5	5-5/8"	04704	•			•			•
SMD-5	5-5/8"	04522		•		•		•	
SMR-5	5-5/8"	04540		•		•			•
3/8" Orifice - 196 cfm @ 100 psi									
SSD-6	6-1/2"	01620	•			•		•	
SSR-6	6-1/2"	04705	•			•			•
SMD-6	6-1/2"	04523		•		•		•	
SMR-6	6-1/2"	04541		•		•			•
SXD-6	6-1/2"	04592		•			•	•	
SXR-6	6-1/2"	04601		•			•		•
SFD-6	6-1/2"	01623			•		•	•	
SFR-6	6-1/2"	04732			•		•		•
7/16" Orifice - 254 cfm @ 100 psi									
SSD-7	7-3/4"	01621	•			•		•	
SSR-7	7-3/4"	04706	•			•			•
SMD-7	7-3/4"	04524		•		•		•	
SMR-7	7-3/4"	04542		•		•			•
SXD-7	7-3/4"	04593		•			•	•	
SXR-7	7-3/4"	04602		•			•		•
SFD-7	7-3/4"	01624			•		•	•	
SFR-7	7-3/4"	04733			•		•		•
1/2" Orifice - 338 cfm @ 100 psi									
SSD-8	8-13/16"	01622	•			•		•	
SSR-8	8-13/16"	04707	•			•			•
SMD-8	8-13/16"	04525		•		•		•	
SMR-8	8-13/16"	04543		•		•			•
SXD-8	8-13/16"	04594		•			•	•	
SXR-8	8-13/16"	04603		•			•		•
SFD-8	8-13/16"	01625			•		•	•	
SFR-8	8-13/16"	04734			•		•		•



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

CLEMLITE® SILICON CARBIDE NOZZLES

CLEMLITE® LINED			Thread		Entry	Jacket	
Model	Length	Stock	1 1/4"	Contractor	1"	Metal	Urethane
3/16" Orifice - 45 cfm @ 100 psi							
SJD-3	3"	04648	•		•	•	
SJR-3	3-3/8"	04720	•		•		•
SYD-3	3"	04556		•	•	•	
SYR-3	3-3/8"	04574		•	•		•
1/4" Orifice - 81 cfm @ 100 psi							
SJD-4	3"	04649	•		•	•	
SJR-4	3-3/8"	04721	•		•		•
SYD-4	3"	04557		•	•	•	
SYR-4	3-3/8"	04575		•	•		•
5/16" Orifice - 137 cfm @ 100 psi							
SJD-5	3"	04650	•		•	•	
SJR-5	3-3/8"	04722	•		•		•
SYD-5	3"	04558		•	•	•	
SYR-5	3-3/8"	04576		•	•		•
3/8" Orifice - 196 cfm @ 100 psi							
SJD-6	3"	04651	•		•	•	
SJR-6	3-3/8"	04723	•		•		•
SYD-6	3"	04559		•	•	•	
SYR-6	3-3/8"	04577		•	•		•
7/16" Orifice - 254 cfm @ 100 psi							
SJD-7	3"	04652	•		•	•	
SJR-7	3-3/8"	04724	•		•		•
SYD-7	3"	04560		•	•	•	
SYR-7	3-3/8"	04578		•	•		•
1/2" Orifice - 338 cfm @ 100 psi							
SJD-8	3"	04653	•		•	•	
SJR-8	3-3/8"	04725	•		•		•
SYD-8	3"	04561		•	•	•	
SYR-8	3-3/8"	04579		•	•		•

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

SPECIALTY NOZZLES AND NOZZLE WASHERS TUNGSTEN CARBIDE RUBBER JACKETED NOZZLES

Nozzle Washers

Description	Stock #	Weight
NW-1 for CT & CTB Nozzles, pk of 10	21580	<.5
NW-2 for CSB & CBP Nozzles, pk of 10	21675	<.5
NW-3 for CAM Nozzles, pk of 10	21583	<.5
NW-4 for 1 1/4" thread Nozzles, pk of 10	00869	<.5
NW-25 for 1" entry Contractor thread Nozzles, pk of 10	91024	<.5
NW-32 for 1 1/4" entry Contractor thread Nozzles, pk of 10	91026	<.5

Miscellaneous

Description	Stock #	Weight
Nozzle pressure gauge kit with three needles	01232	.5
Needles, set of 20	02126	<.5

Short Straight barrel, metal Jacket 3/4

Tungsten carbide

Description	Stock #	Weight
CT-2* 1/8" orifice x 1 3/4" L	01351	.5
CT-3* 3/16" orifice x 1 3/4" L	01352	.5
CT-4* 1/4" orifice x 1 3/4" L	01353	.5
CT-5* 5/16" orifice x 1 3/4" L	01354	.5
CT-6* 3/8" orifice x 1 3/4" L	01355	.5
CT-8* 1/2" orifice x 1 3/4" L	01356	.5

Boron carbide

Description	Stock #	Weight
CTB-2* 1/8" orifice x 1 3/4" L	21090	.5
CTB-3* 3/16" orifice x 1 3/4" L	21091	.5
CTB-4* 1/4" orifice x 1 3/4" L	21092	.5
CTB-5* 5/16" orifice x 1 3/4" L	21093	.5
CTB-6* 3/8" orifice x 1 3/4" L	21094	.5
CTB-8* 1/2" orifice x 1 3/4" L	21095	.5

Long Venturi Style

Description	Stock #
TSP-3 3/16" orifice x 4 3/4"L	23513
TSP-4 1/4" orifice x 5 7/8"L	23514
TSP-5 5/16" orifice x 6 1/4"L	23515
TSP-6 3/8" orifice x 7 15/16"L	23516
TSP-7 7/16" orifice x 8 1/2"L	23517
TSP-8 1/2" orifice x 9 3/4"L	23518


NOZZLE HOLDERS

Aluminum nozzle holders

Description	Stock #
For 3/4" thread nozzles	
CHE-1/2 for hose 1/2" ID X 1 3/16" OD	00577
For 1 1/4" thread nozzles	
CHE-1 for hose 3/4" ID, 1 1/2" OD	00578
CHE-2 for hose 1" ID, 1 7/8" OD	00579
CHE-3 for hose 1 1/4" ID, 2 5/32" OD	00580
CHE-4 for hose 1 1/2" ID, 2 3/8" OD	00581



Nylon nozzle holders

Description	Stock #
For 1 1/4" thread nozzles	
HEP-3/4 for Supa hose 3/4" ID, 1 5/16" OD	99173
HEP-1 for hose 3/4" ID, 1 1/2" OD	07720
HEP-2 for hose 1" ID, 1 7/8" OD	07721
HEP-3 for hose 1 1/4" ID, 2 5/32" OD	07722
For contractor thread nozzles	
NHP-3/4" for hose 1 5/16" OD	11398
NHP-1 for hose 1 1/2" OD	04106
NHP-2 for hose 1 7/8" OD	04127
NHP-3 for hose 2 5/32" OD	04128



Quick coupling nozzle holders

Description	Stock #
For flanged nozzles	
CFFH-A aluminum	00575
CFFH-B brass	00576
FHP nylon (Coupling gasket serves as nozzle washer)	07718
For 1 1/4" thread nozzles	
CFA aluminum	00552
SCF brass	00592
CFP nylon (CQGP-3 gasket)	07716
For contractor thread nozzles	
CFPM nylon (CQGP-3 gasket)	07719




Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

QUICK COUPLINGS

Aluminum quick couplings

Description	Stock #	Weight
CQA-1/2 for 1/2"ID X 1 3/16"OD hose (CQG gasket)	00599	.5
CQA-1 for 3/4"ID X 1 1/2"OD hose (CQG gasket)	00568	.5
CQA-2 for 1"ID X 1 7/8"OD hose (CQG gasket)	00569	.5
CQA-3 for 1 1/4"ID X 2 5/32"OD hose (CQG gasket)	00570	.5
CQA-4 for 1 1/2"ID X 2 3/8"OD hose (CQG gasket)	00573	1



Nylon quick couplings

Description	Stock #	Weight
CQP-1 for 3/4"ID X 1 1/2"OD hose (CQGP-1 gasket)	08412	.5
CQP-2 for 1"ID X 1 7/8"OD hose (CQGP-3 gasket)	21711	.5
CQP-3 for 1 1/4"ID X 2 5/32 OD hose (CQGP-3 gasket)	08414	.5
CQP-4 for 1 1/2"ID X 2 3/8"OD hose	07714	.5

Nylon quick coupling to fit Supa hose

Description	Stock #	Weight
CQPS-3/4 for 3/4"ID X 1 5/16"OD hose (CQGP-1 gasket)	11395	.5
CQPS-1 for 1"ID X 1 1/2"OD hose (CQGP-2 gasket)	21088	.5
CQPS-2 for 1 1/4"ID X 1 7/8"OD hose (CQGP-3 gasket)	08413	.5

Replacement lock spring

for CQP couplings Pk of 25	21585	2
-------------------------------	-------	---

THREADED QUICK COUPLINGS, COUPLING GASKETS **SCREWS AND LOCK PINS**

Aluminum threaded quick couplings

Description	Stock #	Weight
CFA-1/2 for 1/2" threaded pipe nipple (CQG gasket)	00558	.5
CFA-3/4 for 3/4" threaded pipe nipple (CQG gasket)	00559	.5
SB-1 for 1 1/4" threaded pipe nipple (CQG gasket)	00550	1
SB-2 for 1 1/2" threaded pipe nipple (CQG gasket)	00554	1
CFA-3 for 2" threaded pipe nipple (CQG gasket)	00556	1
SB-2 for 1 1/2" BRASS	00555	
SB-1 for 1 1/4" BRASS	00551	

Nylon threaded quick couplings

Description	Stock #	Weight
CFP-P 1 1/4" with pipe nipple for standard blast machines 2 cu.ft. And larger (CQGP-3 gasket)	10806	1
CFP-2 1 1/2" without pipe nipple (CQGP-3)	07715	
CFP-2C 1 1/4" with pipe nipple for 2cu.ft. Contractor blast machines (CQGP-3 gasket)	21733	1
CFP-4C 1 1/4" with pipe nipple for 4cu.ft. Contractor blast machines (CQGP-3 gasket)	21734	2
CFP-6C 1 1/4" with pipe nipple for 6 cu.ft. Contractor blast machines (CQGP-3 gasket)	21735	2

Coupling gaskets

Description	Stock #
CQG, pk of 10	00850
CQGP-1, pk of 10	08852
CQGP-2, pk of 10	21584
CQGP-3, pk of 10	08853
CQ12G,sold individually	00852

Coupling screws, lock pins & lock springs

Description	Stock #
Coupling screw for Supa blast hose, pk of 25	21582
Coupling screw for 2 braid and 4 ply hose pk of 25	21581
Lock pin for aluminum and brass couplings, pk of 25	11203
Lock spring for nylon couplings, pk of 25	21585

Coupling miscellaneous

Description	Stock #
P-32 2" Aluminum	
QA-5 1 1/2" Aluminum	
QA-6 2" Aluminum	
10 SB4-2" Brass Reservoir	
10 SBG-2" Gross Gasket	
SP-114 1 1/4" Aluminum PH	
SP-116 1 1/2" Aluminum PH	

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

SANDBLAST HOSES



STOCK #	DIA.INT.	DIA.EXT.	TYPE	PRESS.MAX.	LENGHT DISP.	LB./PI.
10BH012E	1/2"	1 1/8"	2 Brins	150 PSI	50'	22
10BH012B	1/2"	1 1/16"	2 Brins	150 PSI	50'	22
23750	1/2"	1 3/16"	2 Brins	150 PSI	25'	12
23751	1/2"	1 3/16"	2 Brins	150 PSI	50'	24
23752	3/4"	1 1/2"	2 Brins	150 PSI	25'	17
23753	3/4"	1 1/2"	2 Brins	150 PSI	50'	35
23101	3/4"	1 5/16"	Supa	150 PSI	25'	13
23102	3/4"	1 5/16"	Supa	150 PSI	50'	26
23754	1"	1 7/8"	2 Brins	150 PSI	25'	28
23755	1"	1 7/8"	2 Brins	150 PSI	50'	54
23103	1"	1 1/2"	Supa	150 PSI	25'	13
23104	1"	1 1/2"	Supa	150 PSI	50'	27
23105	1 1/4"	1 7/8"	Supa	150 PSI	25'	22
23106	1 1/4"	1 7/8"	Supa	150 PSI	50'	45
23643	1 1/4"	1 7/8"	Supa	150 PSI	100'	90
23756	1 1/4"	2 5/32"	2 Brins	150 PSI	50'	65
23450	1 1/4"	2 5/32"	4 Plie	150 PSI	50'	65
23451	1 1/4"	2 5/32"	4 Plie	150 PSI	100'	125
SBB-100-50S	1"	1 7/8"	2 Brins	150 PSI	50'	54
SBB-100-100S	1"	1 7/8"	2 Brins	150 PSI	100'	108
SBB-125-50S	1 1/4"	2 5/32"	2 Brins	150 PSI	50'	65
SBB-125-100S	1 1/4"	2 5/32"	2 Brins	150 PSI	100'	125
SBB-150-50	1 1/2"	2 3/8"	2 Brins	150 PSI	50'	70
SBB-150-100	1 1/2"	2 3/8"	2 Brins	150 PSI	100'	135
23452	1 1/2"	2 3/8"	4 Plie	150 PSI	50'	70
23453	1 1/2"	2 3/8"	4 Plie	150 PSI	100'	135
SBB-200-50	2"	2 7/8"	2 Brins	150 PSI	50'	85
SBB-200-100	2"	2 7/8"	2 Brins	150 PSI	100'	170

STRENGTHENED PVC AIR HOSE



STOCK #	DIA.INT.	DIA.EXT.	PRESS.MAX.	LB./PI.
315004	1/4"	0.438"	150 PSI	0.06
315006	3/8"	0.594"	125 PSI	0.09
315008	1/2"	0.750"	100 PSI	0.13
315012	3/4"	1.031"	85 PSI	0.22
315016	1"	1.300"	75 PSI	0.30
315020	1 1/4"	1.620"	55 PSI	0.46
315024	1 1/2"	1.938"	50 PSI	0.64
312032	2"	2.490"	35 PSI	0.94



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

CONTRACTOR AIR HOSE (Yellow)



STOCK #	DIA.INT.	DIA.EXT.	PRESS.MAX.	LB./PI.
CAY-050	1/2"	0.91"	300 PSI	0.276
CAY-075	3/4"	1.14"	300 PSI	0.373
CAY-100	1"	1.38"	300 PSI	0.466
CAY-125	1 1/4"	1.73"	300 PSI	0.729
CAY-150	1 1/2"	1.97"	250 PSI	0.834
CAY-200	2"	2.56"	250 PSI	1.112

MULTI-PURPOSE AIR HOSE (Red)



STOCK #	DIA.INT.	DIA.EXT.	PRESS.MAX.	LB./PI.
460	1/4"	0.52"	300 PSI	0.090
461	3/8"	0.71"	300 PSI	0.180
462	1/2"	0.83"	300 PSI	0.249
463	3/4"	1.14"	255 PSI	0.369
464	1"	1.42"	210 PSI	0.529

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

VACUUM HOSE

TPR HOSE*




STOCK #	DIA.INT.
RFH-200	2"
RFH-250	2 1/2"
RFH-300	3"
RFH-350	3 1/2"
RFH-400	4"
RFH-450	4 1/2"
RFH-500	5"
RFH-600	6"
RFH-700	7"
RFH-800	8"
RFH-900	9"
RFH-1000	10"

CLEAR **



STOCK #	DIA.INT.
UV1-200	2"
UV1-250	2 1/2"
UV1-300	3"
UV1-400	4"
UV1-500	5"
UV1-600	6"
UV1-700	7"
UV1-800	8"

ARI-SUCCION **



STOCK #	DIA.INT.
ARI-200	2"
ARI-250	2 1/2"
ARI-300	3"
ARI-400	4"
ARI-500	5"
ARI-600	6"
ARI-800	8"

* LOW RESISTANT TO ABRASIVE

** HIGH RESISTANT TO ABRASIVE



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

HEAVY DUTY VACUUM HOSE



STOCK #	DIA.INT.
IVB-300-125RPG	3"
IVB-400-125RPG	4"
IVB-400-250RPG	4"
IVB-600-125RPG	6"
IVB-600-250RPG	6"
IVB-800-125RPG	8"
IVB-800-250RPG	8"



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
 Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

PNEUMATIC QUICK COUPLING INDUSTRIAL TYPE



FEMALE PLUG



MALE PLUG

INDUTRIAL TYPE 1/4"			
STOCK #	(F) NPT	STOCK #	(F) NPT
20.142	1/4"	20.242	1/4"
20.162	3/8"	20.262	3/8"

INDUTRIAL TYPE 3/8"			
STOCK #	(F) NPT	STOCK #	(F) NPT
21.142	1/4"	21.242	1/4"
21.162	3/8"	21.262	3/8"
21.182	1/2"	21.282	1/2"

INDUTRIAL TYPE 1/2"			
STOCK #	(F) NPT	STOCK #	(F) NPT
22.162	3/8"	22.262	3/8"
22.182	1/2"	22.282	1/2"
22.192	3/4"	22.292	3/4"



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

PNEUMATIC QUICK COUPLING INDUSTRIAL TYPE



FEMALE COUPLER



MALE COUPLER

TYPE INDUSTRIEL 1/4"

STOCK #	(F) NPT	STOCK #	(F) NPT
16.1742	1/4"	16.1842	1/4"
16.1762	3/8"	16.1862	3/8"

TYPE INDUSTRIEL 3/8"

STOCK #	(F) NPT	STOCK #	(F) NPT
16.2742	1/4"	16.2842	1/4"
16.2762	3/8"	16.2862	3/8"
16.2772	1/2"	16.2872	1/2"

TYPE INDUSTRIEL 1/2"

STOCK #	(F) NPT	STOCK #	(F) NPT
16.3762	3/8"	16.3862	3/8"
16.3772	1/2"	16.3872	1/2"
16.3782	3/4"	16.3882	3/4"

FEMALE ELBOW 90°



STOCK #	(M) NPT-LENGTH
33.2410	1/8"
33.2428	1/4"
33.2446	3/8"
33.2454	1/2"
33.2472	3/4"

MALE FEMALE STREET ELBOW 90°



STOCK #	(M) NPT	(F) NPT
33.2610	1/8"	1/8"
33.2628	1/4"	1/4"
33.2646	3/8"	3/8"
33.2654	1/2"	1/2"
33.2672	3/4"	3/4"

MALE/FEMALE STREET ELBOW 45°



STOCK #	(M) NPT	(F) NPT
33.2910	1/8"	1/8"
33.2928	1/4"	1/4"
33.2946	3/8"	3/8"
33.2954	1/2"	1/2"

FEMALE TEE



STOCK #	(M) NPT-LENGTH
41.265	1/8"
41.270	1/4"
41.275	3/8"
41.280	1/2"
41.285	3/4"
41.290	1"
41.295	1 1/4"

CROSS



STOCK #	(M) NPT-LENGTH
33.3710	1/8"
33.3728	1/4"
33.3746	3/8"
33.3754	1/2"

HEXAGONALE FEMALE CONNECTION



STOCK #	(M) NPT-LENGTH
33.1710	1/8"
33.1728	1/4"
33.1746	3/8"
33.1754	1/2"
33.1772	3/4"

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

LONG PIPE NIPPLE



STOCK #	(M) NPT-LENGTH
33.1210	1/8" - 1 1/2"
33.1212	1/8" - 2"
33.1214	1/8" - 2 1/2"
33.1216	1/8" - 3"
33.1218	1/8" - 3 1/2"
33.1220	1/8" - 4"
33.1222	1/4" - 1 1/2"
33.1224	1/4" - 2"
33.1226	1/4" - 2 1/2"
33.1228	1/4" - 3"
33.1230	1/4" - 3 1/2"
33.1232	1/4" - 4"
33.1234	3/8" - 1 1/2"
33.1236	3/8" - 2"
33.1238	3/8" - 2 1/2"
33.1240	1/2" - 1 1/2"
33.1242	1/2" - 2"
33.1244	3/4" - 1 1/2"
33.1246	3/4" - 2"
33.1248	3/4" - 2 1/2"

FEMALE TO MALE PIPE ADAPTOR



STOCK #	(M) NPT	(M) NPT
33.1910	1/8"	1/8"
33.1912	1/8"	1/4"
33.1913	1/8"	3/8"
33.1928	1/4"	1/4"
33.1932	1/4"	3/8"
33.1933	1/4"	1/2"
33.1946	3/8"	3/8"
33.1948	3/8"	1/2"
33.1954	1/2"	1/2"
33.1958	1/2"	3/4"

MALE HEX PIPE NIPPLE



STOCK #	(M) NPT	(M) NPT
33.1110	1/8"	1/8"
33.1128	1/4"	1/4"
33.1126	1/4"	1/8"
33.1146	3/8"	3/8"
33.1144	3/8"	1/4"
33.1142	3/8"	1/8"
33.1154	1/2"	1/2"
33.1152	1/2"	3/8"
33.1172	3/4"	3/4"
33.1170	3/4"	1/2"
33.1182	1"	1"

SQUARE HEAD PIPE PLUG



STOCK #	(M) NPT
33.2210	1/8"
33.2228	1/4"
33.2246	3/8"
33.2254	1/2"
33.2272	3/4"
33.2282	1"

REDUCING BUSHING



STOCK #	(M) NPT	(M) NPT
33.1826	1/4"	1/8"
33.1842	3/8"	1/8"
33.1844	3/8"	1/4"
33.1849	1/2"	1/8"
33.1850	1/2"	1/4"
33.1852	1/2"	3/8"
33.1870	3/4"	1/2"
33.1880	1"	3/4"

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

MALE HOSE BARB CONNECTOR



STOCK #	HOSE DIA.INT	(M) NPT
33.4110	1/8"	1/8"
33.4120	3/16"	1/8"
33.4126	1/4"	1/8"
33.4128	1/4"	1/4"
33.4132	1/4"	3/8"
33.4160	5/8"	3/8"
33.4162	5/8"	1/2"
33.4166	5/8"	3/4"
33.4136	5/16"	1/4"
33.4142	3/8"	1/8"
33.4144	3/8"	1/4"
33.4146	3/8"	3/8"
33.4148	3/8"	1/2"
33.4150	1/2"	1/4"
33.4152	1/2"	3/8"
33.4154	1/2"	1/2"
33.4158	1/2"	3/4"
33.4170	3/4"	1/2"
33.4172	3/4"	3/4"
33.4180	1"	3/4"
33.4182	1"	1"

FEMALE HOSE BARB CONNECTOR



STOCK #	HOSE DIA.INT	(M) NPT
33.4326	1/4"	1/8"
33.4328	1/4"	1/4"
33.4336	5/16"	1/4"
33.4344	3/8"	1/4"
33.4346	3/8"	3/8"
33.4352	1/2"	3/8"
33.4354	1/2"	1/2"

JOINT BARB CONNECTOR



STOCK #	HOSE DIA.INT
33.4728	1/4"
33.4738	5/16"
33.4746	3/8"
33.4754	1/2"

HOSE BARB PUSH ON TO MALE CONNECTOR



STOCK #	HOSE DIA.INT	(M) NPT
33.6226	1/4"	1/8"
33.6228	1/4"	1/4"
33.6244	3/8"	1/4"
33.6246	3/8"	3/8"
33.6252	1/2"	3/8"
33.6254	1/2"	1/2"
33.6262	5/8"	1/2"
33.6272	3/4"	3/4"

HOSE BARB PUSH ON TO FEMALE SAE SWIVEL



STOCK #	HOSE DIA.INT	(F) SAE
33.6428	1/4"	1/4"
33.6433	1/4"	5/16"
33.6446	3/8"	3/8"
33.6454	1/2"	1/2"
33.6464	5/8"	5/8"
33.6472	3/4"	3/4"

CHICAGO COUPLING



HOSE END

STOCK #	DIA.INT.
28.4109	1/4"
28.4110	3/8"
28.4111	1/2"
28.4112	3/4"
28.4113	1"
28.4114	1 1/4"
28.4115	1 1/2"
28.4116	2"



FEMALE

STOCK #	DIA.INT.
28.4119	1/4"
28.4120	3/8"
28.4121	1/2"
28.4122	3/4"
28.4123	1"
28.4124	1 1/4"
28.4125	1 1/2"
28.4126	2"



MALE NPT

STOCK #	DIA.INT.
28.4129	1/4"
28.4130	3/8"
28.4131	1/2"
28.4132	3/4"
28.4133	1"



STOCK #	DIA.INT.
28.4160	CONN.TRIPLE PLUG
28.4150	S.WASHER
28.4172	L.WASHER
28.4174	

HIGH-PRESSURE CLAMP



STOCK #	HOSE DIA.	SIZE RANGE
B 4	1/2"	15/16" - 1 1/16"
B 5	1/2"	1 1/6" - 1 3/16"
BU 9	3/4"	1 3/16" - 1 5/16"
B 9	3/4"	1 5/16" - 1 1/2"
B 10	3/4"	1 1/2" - 1 11/16"
156	1"	1 13/32" - 1 9/16"
BU 14	1"	1 17/32" - 1 23/32"
B 14	1"	1 5/8" - 1 27/32"
B 15	1"	1 7/8" - 2 1/16"
B 19	1 1/4"	2 1/16" - 2 1/4"
B 22	1 1/2"	2" - 2 7/32"
BU 24	1 1/2"	2 3/32" - 2 9/32"
B 24	1 1/2"	2 1/4" - 2 7/16"
B 25	1 1/2"	2 15/32" - 2 23/32"
BU 28	2"	2 11/32" - 2 17/32"
BU 29	2"	2 1/2" - 2 25/32"
B 29	2"	2 3/4" - 3 1/16"

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

HIGH-PRESSURE COUPLING



MALE STEM



FEMALE STEM




WING NUT

SIZE	STOCK #	STOCK #	STOCK #
1/2"	GJM-050-SP	GJS-050-SP	GJN-050-DP
3/4"	GJM-075-SP	GJS-075-DP	GJN-075-DP
1"	GJM-100-SP	GJS-100-DP	GJN-100-DP
1 1/4"	GJM-125-DP	GJS-125-DP	GJN-125-DP
1 1/2"	GJM-150-DP	GJS-150-DP	GJN-150-DP
2"	GJM-200-DP	GJS-200-DP	GJN-200-DP



FEMALE SPUD



MALE SPUD

SIZE	STOCK #	# PIECE
1/2"	GJF-050-SP	GDS-050-B
3/4"	GJF-075-DP	GDS-075-B
1"	GJF-100-DP	GDS-100-B
1 1/4"	GJF-125-DP	GDS-125-DP
1 1/2"	GJF-150-DP	GDS-150-DP
2"	GJF-200-DP	GDS-200-DP

COMBINATION NIPPLE

SIZE	STOCK #
1/2"	28.2012
3/4"	28.2022
1"	28.2032
1 1/4"	28.2042
1 1/2"	28.2052
2"	28.2062



Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

CAM & GROOVE ALUMINUM

PART A TO D



Male Adaptor Female NPT Aluminum

PART A	SIZE
CGA-050-A1	1/2"
CGA-075-A1	3/4"
CGA-100-A1	1"
CGA-125-A1	1-1/4"
CGA-150-A1	1-1/2"
CGA-200-A1	2"
CGA-250-A1	2-1/2"
CGA-300-A1	3"
CGA-400-A1	4"
CGA-500-A1	5"
CGA-600-A1	6"



Hose Shank Female Coupler Aluminum

PART C	SIZE
CGC-050-A1	1/2"
CGC-075-A1	3/4"
CGC-100-A1	1"
CGC-125-A1	1-1/4"
CGC-150-A1	1-1/2"
CGC-200-A1	2"
CGC-250-A1	2-1/2"
CGC-300-A1	3"
CGC-400-A1	4"
CGC-500-A1	5"
CGC-600-A1	6"



Male NPT Female Coupler Aluminum

PART B	SIZE
CGB-050-A1	1/2"
CGB-075-A1	3/4"
CGB-100-A1	1"
CGB-125-A1	1-1/4"
CGB-150-A1	1-1/2"
CGB-200-A1	2"
CGB-250-A1	2-1/2"
CGB-300-A1	3"
CGB-400-A1	4"
CGB-500-A1	5"
CGB-600-A1	6"



Female NPT Female Coupler Aluminum

PART D	SIZE
CGD-050-A1	1/2"
CGD-075-A1	3/4"
CGD-100-A1	1"
CGD-125-A1	1-1/4"
CGD-150-A1	1-1/2"
CGD-200-A1	2"
CGD-250-A1	2-1/2"
CGD-300-A1	3"
CGD-400-A1	4"
CGD-500-A1	5"
CGD-600-A1	6"

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

CAM & GROOVE ALUMINUM

PART E&F



Hose Shank Male Adaptor Aluminum

PART E	SIZE
CGE-050-A1	1/2"
CGE-075-A1	3/4"
CGE-100-A1	1"
CGE-125-A1	1-1/4"
CGE-150-A1	1-1/2"
CGE-200-A1	2"
CGE-250-A1	2-1/2"
CGE-300-A1	3"
CGE-400-A1	4"
CGE-500-A1	5"
CGE-600-A1	6"



Male Adaptor Male NPT Aluminum

PART F	SIZE
CGF-050-A1	1/2"
CGF-075-A1	3/4"
CGF-100-A1	1"
CGF-125-A1	1-1/4"
CGF-150-A1	1-1/2"
CGF-200-A1	2"
CGF-250-A1	2-1/2"
CGF-300-A1	3"
CGF-400-A1	4"
CGF-500-A1	5"
CGF-600-A1	6"

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

EAR CLAMP



STOCK #	NOMINAL EXT.	OUVERT DIA.
48.300	5/32"	0.161
48.302	11/46"	0.177
48.304	3/16"	0.197
48.306	1/4"	0.276
48.308	5/16"	0.354
48.310	3/8"	0.433
48.312	7/16"	0.433
48.314	1/2"	0.512
48.316	9/16"	0.591
48.318	19/32"	0.669
48.320	5/8"	0.708
48.322	3/4"	0.787
48.324	13/16"	0.866
48.326	7/8"	0.905
48.328	15/16"	0.984
48.330	1"	1.063
48.332	1 1/6"	1.102
48.334	1 1/8"	1.220
48.338	1 5/16"	1.339
48.340	1 7/16"	1.457
48.342	1 1/2"	1.575
48.344	1 5/8"	1.693
48.346	1 3/4"	1.811

FITTING CLAMPS

CLAMPS TYPE "TRIDON"


STOCK #	MINIMUM	NORMAL	MAXIMUM
48.100	5/16"	1/4"	5/8"
48.102	7/16"	3/8"	7/8"
48.104	3/8"	7/16"	7/8"
48.106	7/16"	1/2"	1"
48.108	9/16"	5/8"	1 1/16"
48.110	9/16"	3/4"	1 1/4"
48.112	11/16"	1"	1 1/2"
48.120	3/4"	1 1/4"	1 3/4"
48.122	1 1/16"	1 1/2"	2"
48.124	1 5/16"	1 3/4"	2 1/4"
48.126	1 9/16"	2"	2 1/2"
48.128	1 13/16"	2 1/4"	2 3/4"
48.130	2 1/16"	2 1/2"	3"

CLAMPS "CENTER PUNCH LOCK"


STOCK #	DIA. INT.
39.6110	13/16"
39.6114	1"
39.6118	1 1/4"
39.6122	1 3/8"
39.6126	1 1/2"
39.6130	1 3/4"
39.6134	2"
39.6138	2 1/4"
39.6142	2 1/2"
39.6146	2 3/4"
39.6150	3"
39.6154	3 1/2"
39.6158	4"


Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

COMET PORTABLE SUCTION BLAST AND VACUUM MACHINE

Comet portable suction blast and vacuum machine

No Description	Stock #	Weight	No. Description	Stock #
Comet (C150-3) suction			14. Hose clamp	12750
blast/vacuum unit w/150 cfm reclaimer			15. Hose transflow tube	11847
120v/1/60	12542	200	20 ft.	
220v/1/50	12547	200	16. Reclaimer gasket	11755
1. Gun assembly	12300		17. Air gauge	11830
2. Holding nut, brass	11914		18. Motor adaptor gasket	11781
3. Nozzle, ceramic #6	11931		19. Reclaimer assembly	12390
Nozzle, boron #6	11936		20. Air regulator assembly	12053
carbide			21. Screen assembly	12388
4. Gun body	11533		22. Screen gasket	11756
5. # 6 orifice assembly	11953		23. J-bolt	13576
6. Washer, rubber	12749		24. Air filter, 1/2"	01308
7. Tube insert, aluminum	12175		25. Wheel, 6"	12214
Tube insert, boron	12409		26. Switch assembly	12384
carbide (optional)			27. Flapper assembly	12418
8. Two-way valve	12188		28. Metering valve	12419
9. 3/8"-1/2" bushing	12746		29. Motor	12315
10. Swivel stem	11723		30. Brush, flat	11569
11. Flex hose 1 1/2" X 20ft.	12450		31. Brush, outside	11571
12. Air hose, 1/2"	12472		32. Brush, inside	11570
13. Wear plate, rubber	13882		33. Bag, 3" X 18"	11506
coated, 3" X 7"			34. Spring latch	11876
			35. Door gasket	11760
			36. Fitting hose, 3/8"	06369
			37. Clamp, hose 3/4"	12756




SUPER COMET PORTABLE PRESSURE AND VACUUM MACHINE

Super Comet
Formerly BNP-300-4A

Portable skid-mounted pressure-blast/vacuum machine with 0.5 cu.ft.blast machine, 3/16" orifice nozzle, 150 CFM reclaimer and dust collector 120 V/1/60.

Stock #	Weight
12546	850




Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

SUCTION GUN


No. Description	Stock #	Weight	No. Description	Stock#
(-) Suction gun (SG-300) includes: light-duty, portable hopper, with 10 ft. air hose, 10 ft. material hose, screen, 5/6" tungsten nozzle and 1/8" jet.				
	02641	20		
No. Description	Stock #	Weight	No. Description	Stock#
(-) Coupling lock pin, pk of 25				
	11203			
1. SGT air gun, nozzle and hose assembly	02643		13. Lock nut	02667
2. SGT air gun assembly	02642		14. Air jet sleeve	02668
3. Hopper screen	02673	1	15. Set screw, 1/4-NC X 1/4"	03075
4. Hopper	02675	7	16. Nozzle	
5. Abrasive feed elbow	02676	7	3/16" orifice	01352
6. Retaining thumb screw	03131		5/16" orifice(std.)	01354
7. Adjusting sleeve	10809		3/8" orifice	01355
8. Suction body	02663		1/2" orifice	01356
9. Suction body nut	02664		17. Retaining ring	02644
10. Air hose assembly, 1/2" ID X 10ft.	02665	2	18. Screw, round head, 8-32 X 3/8"	02645
11. Material hose assembly 1/2" ID X 10ft.	02666	3	19. Valve lift washer	02646
12. Air jet			20. Spring, 3/8"ID X 1 1/8" long.	02647
1/16" orifice	02659		21. O-ring, 3/16"ID X 1/16"	01992
1/8" orifice (std.)	02660		22. Valve stem	02649
3/16" orifice	02661		23. Washer No. 8 X 1/2" OD	02648
1/4" orifice	02662		24. Valve seat, neoprene, 3/4"OD X 1/8" thick	02650
			25. Valve seat, brass	02651
			26. Air hose connector	02652
			27. Valve trigger	02653
			28. Body	02654
			29. Trigger hinge pin	02655
			30. Valve seat gasket	02657



Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

EDUCT-O-MATIC




No.	Description	Stock #	Weight	No.	Description	Stock #	Weight
(-)	Educt-o-matic complete, w/attachements	00751	12	25.	O-ring	00786	
(-)	Educt-o-matic complete, attachment set	00753	1	26.	Valve bushing	00792	<.5
1.	Blast head	00761	1	27.	Valve bushing gasket	00793	
2.	Standard adaptor	00762	<.5	28.	O-ring	00794	
3.	Nozzle, 3/8", tungsten	00754	<.5	29.	Washer	00795	
4.	Nozzle, 3/8", steel	00763	<.5	30.	Retaining ring	00796	
5.	Blast jet	00765		31.	Spring	00797	
6.	Jet basket	00766		32.	Valve stem	00798	<.5
7.	Thumb screw, 1/4"X3/4"	03123		33.	Washer	00799	
8.	Blast head nipple, 3/8" X 4"	00767	<.5	34.	Washer, brass	00800	<.5
9.	Swivel connector	00768	<.5	35.	Hex nut, 10-32	03885	
10.	O-ring, neoprene	00769	<.5	36.	Washer, brass	00802	
11.	Main body	00770	2	37.	Spring	00803	
12.	Abrasive hose	00771	<.5	38.	Washer	00804	
13.	Thumb screw, 1/4"X3/4" 10-24 X 1/2"	03887		39.	Eyelet, brass	00805	
14.	Ferrule	00774	<.5	40.	Washer, brass	00806	<.5
15.	Air hose assembly	00775	<.5	41.	Retaining ring	00807	
16.	Suction jet	00776		42.	Nipple and grip aasy	00810	<.5
17.	Baffle assembly	00778	<.5	43.	Pipe nipple	00808	<.5
18.	Baffle (plastic only)	See 00778		44.	Molded handle grip	00812	<.5
19.	Screen	See 00778		45.	Handle/yoke assy	00811	<.5
20.	Screen gasket	See 00778		46.	Swivel nut/ insert assy	00815	<.5
21.	Abrasive container	00814	<.5	47.	Container latch hook	00782	<.5
22.	Dust bag	00785	<.5	48.	Container latch	00781	
23.	Exhaust tube w/form	00784		49.	Master adaptor	00757	<.5
24.	Valve body	00789	<.5	50.	Edge attachment	00755	<.5
				51.	Serrated attachment	00756	<.5
				52.	Angle attachment	00758	<.5
				53.	Flat tip attachment	00759	<.5

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

HOLLO-BLAST JR.




HOLLO-BLAST JR.

Description	Stock #	Weight	Description	Stock#	Weight
Hollo-Blast Jr with reducer HBJR (Includes centering collar set) for pipe 3/4" to 2" ID 01098		3,0	1. Deflection tip	01100	
			2. Body	01101	.08
			3. Stem support assy. (incl.item 5)	01102	.06
			4. Stem sleeve, tungsten (2 required)	01105	
			5. Throat rod and tip assembly	01162	
			6. Throat rod nut	01108	
			7. retaining ring	01109	
			8. Nozzle, 9/32, tungsten carbide	01113	.12
			9. O'Ring 9/16"	08977	
			10. Knurled nut	01111	
			11. Coupling, 3/8" diameter	01112	.02
			12. Reducer	01115	.88

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

HOLLO-BLAST



Hollo-Blast

Description **Stock #** **Weight**
For pipe 2" to 12"(Does not include centering carriage.)

HB-1 Hollo-blast with 1/2" nozzle and tungsten carbide tip	01076	5
HB-2 Hollo-blast with 5/8" nozzle and tungsten carbide tip	08446	5
HBB-1 Hollo-blast with 1/2" nozzle and boron carbide tip	21190	5

Centering carriages for Hollo-blast

Description	Stock #	Weight
HBC-1 for pipe 3" to 5"ID (includes collars and four button sets)	01124	3
HBC-2 for pipe 5" to 12"ID (includes threaded tip protector sleeve and adjusting nut)	01131	4

No.	Description	Stock#	Weight
1.	Nozzle, 1/2"	01406	1,5
2.	Nozzle, 5/8"	01407	1,5
3.	Tool holder	01079	1,02
4.	Deflection tip		
	Tungsten carbide	01078	.12
	Boron carbide	20968	.02
5.	Stem support assy. (incl. Item 8)	01080	.58
6.	Throat sleeve, tungsten (longer sleeve)	01084	.06
7.	Stem exten.sleeve tungsten(shorter sleeve)	01085	.06
8.	Throat rod and tip	01086	
9.	Tip holding nut	01089	
10.	Tip protection sleeve	01090	.52
11.	Threaded tip protection sleeve	01091	.42
12.	Knurled lock nut	01092	.1
13.	Stem support front gasket	01093	
14.	Stem support rear gasket	01094	
15.	Washer, brass	01096	
16.	O-ring Buna-N	01097	
17.	Coupling, 1 7/8" X 1 7/16"	01095	
18.	Boron throat sleeve 2 required	20969	

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca


SPIN-BLAST

Small Spin-Blast

Description	Stock #	Weight
For pipe 8" to 36" ID, (includes (2) 1/4" X 1 3/4" nozzles) carriage not included	02601	17,0
Carriage for small Spin-Blast		
For pipe 8" to 17" ID	03641	7,0
For pipe 12" to 36" ID	04971	22,0

Large Spin-Blast

Description	Stock #	Weight
For pipe 36" to 60" ID without carriage/ nozzles	10547	21
Carriage for Large Spin-Blast		
For pipe 36" to 60" ID	10560	19



No.	Description	Stock #	Weight	No.	Description	Stock #	Weight
1.	Std. Pipe plug, 1"	01761	.22	22.	Screw, md hd 10-24 X 1"	03891	
2.	Rotating nozzle head (small)	02604	1,54	23.	Hex nut, rear plate	02618	.24
3.	Brake housing	02606	1,74	24.	Rubber-lined nipple 1 1/4"	02617	.60
4.	SB nozzle, 1/4" orifice X 1 3/4" tungsten	01408	.5	25.	Quick coupling, threaded (NPS)	00592	1,04
5.	SB nozzle, 5/16" orifice X 1 3/4" tungsten	01409	.5	26.	Retainer ring	10898	.28
6.	SB nozzle, 3/8" orifice X 1 3/4" tungsten	01411	.5	27.	Screw, flt hd. 10-24 X 1"	10897	
7.	SB nozzle, 5/16" orifice X 3" tungsten	01410	.75	28.	Rotating nozzle head (large)	10546	2,8
8.	SB nozzle, 3/8" orifice X 4" tungsten	01412	.75	29.	SSR-4, 1/4" orifice	04703	0.76
9.	Set screw, 1-4/20 x 1/4"NC	03071		30.	SSR-5, 5/16" orifice	04704	.80
10.	Screw, round head 10-24 X 2 1/4"	03892		31.	SSR-6, 3/8" orifice	04705	1,02
11.	Lock pin, brass	02628	.02	Spin-Blast spare parts kits			
12.	Brake, with lining	02608	.28	NOTE: Distributors should caution customers to have spare parts kit on hand when using the Spin-Blast.			
13.	Tube (casting)	02609	2,08	Description Stock # Weight			
14.	Set screw, 10-24 X 3/16"	03270		Each kit includes:			
15.	Double seal bearing	02611	.3	Rotating nozzle head, brake w/lining, tube casting, bearing			
16.	Main body	10899	2,16	seal, 1 1/4" rubber-lined nipple, 2 ea tube lock rings, double			
17.	Tube lock ring	02610	.02	seal light bearings, tungsten carbide washers, 4 ea 1"			
18.	Bearing seal	02613	.02	standard pipe plugs, 30 ea leather seals.			
19.	Leather dust seal	02614	.02	Spin-Blast 02601			
20.	Washer, tung carb	02616	.14	(small)			
21.	End plate, rear	02615	.40	Spin-Blast 10894			
				(large)			
					02603	7,3	
					10894	8,0	

WET BLAST INJECTOR SYSTEM

Includes wetblast enclosure, water pump, hydraulic hose with fittings, and nozzle adaptor. NOTE: Choose wetblast system with nozzle adaptor to suit nozzle style.

Order nozzle separately.



Description	Stock #	Weight
-------------	---------	--------

For one operator

50ft. of hydraulic hose,		
05540 nozzle adaptor,	05500	85
11/4" straight thread,		
1" bore.		
05541 nozzle adaptor,		
contractor thread,	07750	85
1" bore.		
05598 nozzle adaptor,		
contractor thread,	07752	85
11/4" bore.		

For two operators

Two 50ft. Hydraulic hoses,		
two 05540 nozzle	5501	95
adaptors 11/4" straight		
thread, 1" bore		
two 05541 nozzle		
adaptors contractor thread	7751	95
1" bore		
two 05598 nozzle		
adaptors contractor thread	7753	95
11/4" bore		




Nozzles adaptors	Stock#	Weight
------------------	--------	--------

11/4" straight thread,		
1" bore.	05540	2
contractor thread,		
1" bore.	05541	2
contractor thread,		
11/4" thread	05598	2
W/B injector, 1"ent.(05540)	05536	
W/B injector, 1"ent.(05541)	05534	
W/B injector, 11/4"ent.	05535	

Huile Wet blast (WDTE-9)	05598
--------------------------	-------

Wetblast attachment

WB-1(Includes water jacket,	
shut-off valve, flexible	02701
hose, connections)	
Petcock and 9" hose	02709



ORBITE PIPE PAINTING SYSTEMS

Systems include paint spray tool with centering legs, control gun assembly, paint spray gun, air control hose and high pressure paint hose. All systems include wooden carrying case. Standard tip is .026 on Orbiter I and .036 on Orbiter III.

Orbiter Pipe Painting Systems			OBT Guns		
Description	Stock #	Weight	Description	Stock #	Weight
For up to 6 ft. Long pipe			OBG paint spray gun		
Includes 10 ft. Air control hose and 11 ft. Paint hose.			93130		
Orbiter I, 4" to 6" ID			2		
Orbiter III, 7" to 38" ID			OBG air control gun		
90901			29		
90902			5		
52			OBT Air Control Hoses		
For up to 12 ft. Long pipe			Description		
Include 16 ft. air control hose and 18 ft. Paint hose.			Stock #		
Orbiter I, 4" to 6" ID			Weight		
93327			10 ft		
93328			90925		
54			3		
For up to 20 ft. Long pipe			16 ft		
Include 32 ft. air control hose and 34 ft. Paint hose.			90926		
Orbiter I, 4" to 6" ID			4		
93329			32 ft		
93330			90927		
57			7		
For up to 40 ft. Long pipe			Hoses may be coupled to obtain various overall lengths.		
Include 16 ft. And 32 ft. Air control hose coupled and 18 ft. and 34 ft. Paint hose.			OBT High Pressure Paint Hose		
Orbiter I, 4" to 6" ID			Description		
93331			Stock #		
93332			Weight		
42			11 ft		
65			93054		
Orbiter I, 4" to 6" ID			2		
Less hoses and gun			18 ft		
93063			93056		
10			3		
Orbiter III, 7" to 38" ID			34 ft		
Less hoses and gun			93057		
93133			4		
34			Paint hose unions (couple paint hoses)		
			93333		
			Hoses may be coupled to obtain various overall lengths.		
			OBT Spray Tips		
			Description		
			Stock #		
			Weight		
			.018 orifice		
			93250		
			<.5		
			.021 orifice		
			93251		
			<.5		
			.026 orifice		
			93078		
			<.5		
			.031 orifice		
			93252		
			<.5		
			.036 orifice		
			93253		
			<.5		
			.043 orifice		
			93254		
			<.5		
			O-Ring sets		
			Description		
			Stock #		
			Weight		
			O-ring set		
			For Orbiter III		
			93308		
			<.5		
			For Orbiter I		
			93309		
			<.5		
			For air control hose		
			93310		
			<.5		

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

EASY LOAD SYSTEMS FOR RECYCLABLE ABRASIVES

Systems with 6 cu. Ft. Storage hopper, include:


290 cfm vacuum producer with silencer, abrasive loading hopper with screen and cover, 6 cu. Ft. Storage hopper, 24" dia. Blast machine attachment kit, 3" interconnecting hoses with clamps, 3" ID vacuum hose with 3" bulk pick-up tool.

Description	Stock#	Weight
ELS-1-290		
With wet dust drum	07578	1000
ELS-2-290		
With RP dust collector ..	21079	1125

Systems with Closed Circuit Blaster (CCB), include:

290 cfm vacuum producer with silencer, 6 cu. Ft. Storage hopper, RP dust collector, 24" dia. Blast machine attachment kit, 3" interconnecting hoses with clamps, CCB tool with 1/4" nozzle, 2" ID x 50 ft. Vacuum hose with clamps, 1/4" ID x 50 ft. Supa blast hose, coupled.

Description	Stock#	Weight
ELS-CCB-1		
w/o blast machine	11416	1190
ELS-CCB-BM-1		
w/6 cu. Ft. Blast mach ...	11418	1660



Easy Load Systems for Recyclable or Expendable Abrasives


Systems with 17 cu. Ft. Storage hopper, include:

290 cfm vacuum producer with silencer, abrasive loading hopper with screen and cover, 17 cu. Ft. Abrasive storage hopper, 3" interconnecting hoses with clamps, 3" ID vacuum hose with 3" bulk pick-up tool.

Description	Stock#	Weight
-------------	--------	--------

ELS-3-290		
With wet dust drum	07498	980
ELS-4-290		
With RP dust col	21080	1180

NOTE : 150 cfm Easy Load Systems are available for special applications . Call for cotation.



Distribution Glass Jet inc.


650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

EASY LOAD VACUUM SYSTEMS AND CLOSED CIRCUIT BLAST TOOL

Easy Load systems for expendable abrasives

Systems with 6cu ft storage hopper, includes:
290 CFM vacuum producer with silencer, abrasive loading hopper with screen and cover, 6cu ft collection container, 3" interconnecting hoses with clamps, 3" ID vacuum hose with bulk pick-up tool.

Description	Stock #	Weight
ELS-5-290 with wetdust drum	20430	1660
ELS-6-290 with RP dust collector	20431	1785



Easy Load Components/Parts

Description	Stock #	Weight
290 CFM vacuum producer		
VPR with silencer	07585	80
VPR air jet, rubberized	07516	
VPR body	07518	10
Vacuum hose, 2" ID (multiples of 25' only)	10332	1
Vacuum hose, 3" ID (multiples of 25' only)	10286	1
Pick-up tool, 3" bulk	04275	25
Pick-up tool, 3" crevice	04271	20
Pick-up tool, 3" floor	04273	21
RP dust collector	20416	
Filter cartridge, 9" dia. X 24"	20444	13
Dust collector dump valve	21082	12
Dust bag for RP collector	21083	1
Pressure regulator	01906	3
Lid assembly	20417	
Collection container/wet dust drum	20418	
Abrasive loading hopper	07556	
Storage hopper, without lid assembly, 6cu ft	07568	
Storage hopper, without lid assembly, 17cu ft	10793	
Blast machine 6 cu.ft. w/TLR-300, Sentinel and ACS	21074	510

Closed Circuit Blaster (CBB)


Description	Stock #	Weight
CCB basic tool, includes: TMP-4 nozzle, NHP-2 nozzle holder, (1) flat brush, (1) 90deg inside angle brush, (1) 90 deg outside angle brush	11411	24
CCB package includes: basic tool, plus 2" X 50' vacuum hose with clamps	11412	155
CCB package includes: basic tool, plus 2" ID X 50' vacuum hose with clamps and 1 1/4" ID Supa blast hose, with (1) CQPS-2 coupling	11414	215

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

CLOSED CIRCUIT BLAST TOOL

ID.	Description	Stock#	Weight
(-)	CCB tool, complete	11411	20
(-)	3 ft. Twinline hose, cpld	2240	.86
(-)	Hose union	01944	.04
(-)	Sling	11424	.24
(-)	Boot, long, straight	11432	.92
(-)	Boot long, 90° inside angle	11433	.62
(-)	Brush, 90° inside angle	15509	.55
(-)	Boot, long 90° Outside angle	11434	.78
(-)	Brush, 90° Outside angle	15510	.58
1.	Vacuum housing	15502	.28
2.	Boot, short, straight	15503	.48
3.	Nut ring, 4 piece	15504	.2
4.	Pivot ring	15505	.54
5.	Gimbal ring	15506	.16
6.	Boot clamp half (2 required)	15507	.14
7.	Brush, short straight (standard)	15511	.2
8.	Hex nut, 1/4-NC reg	03111	
9.	Blast tube 23"	15512	2,9
10.	TMP-4, 1/4" nozzle	23520	.82
11.	NHP-2 nozzle holder	04127	.26
12.	Handle clamp	15513	.18
13.	Thumb screw, 1/4-NC	15525	.02
14.	Wing nut, 1/4-NC	03113	
15.	Hex nut, 1/2-NC reg	03511	.04
16.	Handle, straight	15514	.34
17.	Handle, angled	15515	.54
18.	Handle grip, rubber, 5" long	15532	.06
19.	Handle grip, rubber, 9 1/4" long	15540	.1
20.	Retaining ring	15516	.14
21.	Hose clamp, 2 1/2"	02817	.02
22.	Cap screw 1/4-NC x 1/2"	03051	
23.	Cap screw 1/4-NC x 3/4"	03052	
24.	Socket Head screw, 1/4-NC x 1/2"	15526	
25.	Square nut, 1/4-NC	15527	



ID.	Description	Stock#	Weight
26.	Lock washer, 1/4" International tooth	03118	
27.	Elbow, vacuum connection	15518	
28.	Cap screw, 10-24 x 5/8"	15528	
29.	Cap screw, 1/4" x 1" Hex head	03053	
30.	Gasket, vacuum connection elbow	11183	
31.	Wheel ring	15520	
32.	Wheel, steel	03636	
33.	Wheel brushing	03637	
34.	Flat washer, 1/4"	03116	

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

ABRASIVE CLEANER AND HOPPER RECOVERY

Industriel Equipement

Abrasive Cleaners

(standard Screen has 3/16" holes)

OM 20547

Description	Stock #	Weight
-------------	---------	--------

Three-phase, 60 hz electrics (specify 230v or 460v)

Right-Side abrasive cleaner

With debris drum	21354	562
------------------------	-------	-----

With debris bag	21355	562
-----------------------	-------	-----

Left-side abrasive cleaner

With debris drum	21282	562
------------------------	-------	-----

With debris bag	21281	562
-----------------------	-------	-----

2-pot stand

For abrasive cleaner	02594	
----------------------------	-------	--

Cover assemblies

For 24" machine

w/flange	03104	
----------------	-------	--

For 24" machine

w/flange	02582	
----------------	-------	--

Abrasive Cleaner Attachment Kits

Blast machines without flange require one of the following kits for mounting abrasive cleaner:

For 24" dia. Machine	10289	6
----------------------------	-------	---

For 30" dia. Machine	06856	8
----------------------------	-------	---

For 36" dia. Machine	06857	9
----------------------------	-------	---

600 cfm Dust Collector

OM 06506

(Services abrasive cleaner only)

Three-phase, 60 hz electric (specify 230v or 460v).

600 cfm dust collector for

Abrasive cleaner	06496	380
------------------------	-------	-----

Duct hose, 6" ID,

(10 ft. Required)	12452	25
-------------------------	-------	----

Hose clamps, 61/2" dis.

(2 Required)	00750	1
--------------------	-------	---

Industrial Blast Machine System

Single Chamber with remotes and Sentinel Metering Valve

OM 22501

OM 20951

6.0 cu.ft. Blast machine, stationary, with TLR remote controls and Sentinel metering valve with ACS, 11/4" ID x 50ft. Supa hose , coupled with NHP-2 nylon nozzle holder and CQPS-2 nylon quick coupling, TLX-6 blast nozzle 1 1/2" air filter with automatic drain, Apollo 60 HP helmet with cool-air tube, 50 ft. Respirator hose, coupled, CPF-20 Breathing air filter, 1 pair leather gloves, 1 pack of 25 helmet outer lenses, 10 nozzle washers, 10 coupling gaskets, 6 abrasive trap sceens, ans 1 blast suit (size-large)

Description	Stock #	Weight
-------------	---------	--------

	00924	545
--	-------	-----

Hopper Recovery Systems (Mechanical)

For heavy and coarse-mesh abrasives

Systems Include:

Hopper assembly with grating, bucket elevator with 1 HP motor, and integrated underspeed monitor.

Description	Stock #	Weight
-------------	---------	--------

Three-phase, 60 hz electrics (specify 230v or 460v).

3ft x 3ft floor - level sweep-in

recovery systems	06468	1170
------------------------	-------	------

2ft x 2ft wall-mount shovel-in

recovery systems	06427	805
------------------------	-------	-----



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
 Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

RECLAIMER CONVERSION KITS AND CABINET METERING VALVE

Reclaimer (Pressure Blast) Conversion Kits

(To convert BNP suction cabinets to pressure blast cabinets.) Includes 2.0 cu.ft. Capacity blast machine, 1/2"ID coupled blast hose, CT-3 tungsten carbide nozzle, reclaimer with wear palte & motor, air filter and pressure regulator. Order dust collector separately.

Description	Stock #
600 cfm pressure kit (1HP, 155/1/60)	12518
900 cfm pressure kit (2HP, specify 230v or 460v) ...	12517

Reference to "Pull-thru" indicates a system in which the blower motor is located on the clean air side of the dust collector.


Reclaimer (Suction Blast) Kits

To add reclaimer capabilities to any BNP suction cabinet. Includes reclaimer with wear palte and motor, dust bag (two on 900 cfm unit), pressure regulator, air filter, #5 BNP gun with ceramic nozzle and all necessary hoses and fittings.

300 cfm reclaimer kit with 1/2 HP motor, (115/1/60)	12842
600 cfm pressure kit (1 HP motor, (115/1/60)	12841
900 cfm reclaimer kit with 2 HP motor, (specify 230v or 460v/3/60)	13538

Metering Valve Assembly

Description	Stock #
(-) Metering valve, Complete	12417
1. Screw, metering valve.....	23098
2. Stem, metering valve.....	23097
3. Body, metering valve.....	11532
4. Plug, metering valve.....	12011
5. Fitting, hose, 3/8" npt x 1/2" barb.....	6369
6. Nut, meter valve	23099




Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

GUN BNP

No.	STOCK #	DESCRIPTION
1	12301A	COMPLET GUN # 3.5
	12301	COMPLET GUN # 4
	12302	COMPLET GUN # 5
	12303	COMPLET GUN # 6
	12304	COMPLET GUN # 7
	12305	COMPLET GUN # 8
2	11914	NOZZLE NUT
3	11930A	CERAMIC BUSE # 4
	11930	CERAMIC BUSE # 5
	11931	CERAMIC BUSE # 6
	11932	CERAMIC BUSE # 7
	11935A	BORE BUSE #4
	11935	BORE BUSE #5
	11936	BORE BUSE #6
	11937	BORE BUSE #7
	12894	BORE BUSE #8
4	8975	O-RING
5	11802	GUN BODY
6	11913	LOCK NUT, AIR JET

No.	STOCK #	DESCRIPTION
7	12097	RUBBER SLEEVE
8	12342A	AIR JET # 3.5
	12342	AIR JET # 4
	12343	AIR JET # 5
	12344	AIR JET # 6
	12345	AIR JET # 7
	12346	AIR JET # 8
9	33.6454	HOSE END FEM. 1/2"
10	33.6252	HOSE END MALE
11	462	HOSE AIR 1/2"
12	315008	HOSE, MEDIA
*	11947	BUSE WIDE SPRAY #6
	12308	BAGUE, WIDE SPRAY
	11916	NOIX, WIDE SPRAY



BUSE SIZE	AIR JET #	CFM @ 80 PSI
# 4	# 3.5	17
# 4	# 4	21
# 5	# 5	32
# 6	# 6	48
# 7	# 7	62
# 8	# 8	85



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

CABINET REPLACEMENT LENS	
STOCK #	DESCRIPTION
12212	CLEMCO 12.5" X 19.5"
12213	CLEMCO 20" X 30"
12216	MOD-U-BLAST 12" X 20"
610212	CANABLAST 23 3/4" X 18 3/4"
510401	EMPIRE 14" X 22"

ACETATE SELF-ADHESIVE	
STOCK #	DESCRIPTION
6190	Acetate self-adhesive
613026	Acetate self-adhesive 20-5/8 X 13
613038	Acetate Canablast 23 3/4 x 18 3/4

MISCELLANEOUS ACCESSORIES	
STOCK #	DESCRIPTION
16190 M	PEDAL (SUCCION) 1/2"
16200	PEDAL (PRESSION)
11501	DUST BAG 300 CFM
11502	DUST BAG 300/900 CFM
11094	FILTER CABINET INEX

CABINET GLOVES	
STOCK #	DESCRIPTION
15270	Pure Gum / Vineel
15271	Right glove only
15272	Left glove only
12710	Vinyle left glove only
12711	Vinyle right glove only
12712	Vinyle globe

CABINET ACCESSORIES

Pressure Cabinet Nozzles

TUNGSTEN CARBIDE LINED

1/2" ENTRY, 3/4" THREADS, STRAIGHT BARREL:

(Nozzle includes 00853 NW-1 washer)

Description	Stock#	Weight
CT-2 Nozzle 1/8" Orifice x 1-3/4" long	01351	.5
CT-3 Nozzle 3/16" Orifice x 1-3/4" long	01352	.5
CT-4 Nozzle 1/4" Orifice x 1-3/4" long	01353	.5
CT-5 Nozzle 5/16" Orifice x 1-3/4" long	01354	.5
CT-6 Nozzle 3/8" Orifice x 1-3/4" long	01355	.5

BORON CARBIDE LINED


1/2" ENTRY, 3/4" THREADS, STRAIGHT BARREL:

(Nozzle includes 00853 NW-1 washer)

Description	Stock#	Weight
CTB-2 Nozzle 1/8" Orifice x 1-3/4" long	21090	.5
CTB-3 Nozzle 3/16" Orifice x 1-3/4" long	21091	.5
CTB-4 Nozzle 1/4" Orifice x 1-3/4" long	21092	.5
CTB-5 Nozzle 5/16" Orifice x 1-3/4" long	21093	.5
CTB-6 Nozzle 3/8" Orifice x 1-3/4" long	21094	.5

Foot Pedal Assembly


Description	Stock #
(-) Foot pedal assembly, less hose	20483
1. Top, foot pedal	20017
2. Base, foot pedal	19991
3. Valve, 3 way n/c	20026
4. Drive pin, grooved	20109
5. Screw, 1/4 nf x 3/4" Socket head	3086
6. Screw, 10-32 x 1/2" Flat head	19571
7. Adaptor, 10-32 thrd. x 1/8 barb	11731
8. Spring, 1-1/4" x 3-1/2"	20121
9. Screw, 8-32 x 3/8" thread cut	11389
10. Bumper, rubber	21522




VIPER TM AIR-ACTUATED PINCH VALVES

Viper Exploded View

Viper Pinch Valves	
Description	Stock #
☞ Air-Actuated Blast Hose Pinch Valves	
Complete valves with warning sign	PV400
☞ Parts for Air-Actuated Pinch Valves	
Piston	PV33
Cylinder	PV34
Base	PV35
Sleeve (2 required)	PV36
4" U-Cup	PV37
4" O-ring	PV38
Hex Bolt (2 required)	PV39
Lock Washer (2 required)	PV40



GLADIATOR™ METERING VALVES



Gladiator Abrasive Metering Valves

Description

Stock #

Valve; Complete

☞ "Boot or Shoe" Style Valves
MV100

☞ Replacement Parts

Washer; Base-to-coupling

MV11

Base; 1-1/2" female NPT

MV101

Top; male NPT

MV102

Metering "donut" washer

MV104

Coupling

MV107

Coupling gasket (10 pack)

MV108

Stud (2 required)

MV109

Nut (2 required)

MV110


BNP-65 AND BNP-220 PRESSURE BLAST CABINET RECLAIMERS

Reclaimer for 16" diameter blast machine


NOTE: Flex hose, clamp, and lower adhesive-backed gasket are not supplied with replacement reclaimers

ID.	Description	Stock #
(-)	Reclaimer assembly, with exhauster	
	600 cfm	21251
	900 cfm	21253
(-)	Reclaimer assembly, less exhauster	
	600 cfm	21250
	900 cfm	21252
(-)	Reclaimer assembly, pull-through type	
	600 cfm	21292
	900 cfm	21293
1.	Motor, exhauster	
	For 600 cfm reclaimer, 1HP, 115/230v,	
	1 PH, 60 Hz	12314
	For 900 cfm reclaimer, 2hp, 230/460v,	
	3 PH, 60 Hz	
2.	Plate, motor mount	
	600 cfm	12004
	900 cfm	12005
3.	Housing,	
	600 cfm exhauster	12272
	900 cfm exhauster	12271
4.	Gasket, 5/16" x 1", adhesive backed,	
	specify feet required	00187
5.	Paddle wheel	
	600 cfm	12334
	900 cfm	12335

ID.	Description	Stock #
6.	Inlet pipe adaptor	
	600 cfm, 5"	12361
	900 cfm, 6"	12363
	900 cfm, 5"	
	for steel media	14411
7.	Gasket, inlet adaptor	
	600 cfm	11779
	900 cfm	11759
8.	Wear-plate	
	600 cfm	13011
	900 cfm	14055
9.	Clamp, hose	
	For 600 cfm, 5-1/2"	11578
	For 900 cfm, 6-1/2"	00750
10.	Screen assembly	21265
11.	Gasket, door	11745
12.	Hose, light lined flex, specify feet required	
	5" ID for 600 cfm	12467
	6" ID for 900 cfm	12468
13.	Latch assembly	12263
14.	Vortex cylinder assembly, adjustable for	
	exhauster mounted reclaimer	
	600 cfm	19062
	900 cfm	19065
15.	Vortex cylinder assembly, adjustable for	
	pull-through reclaimer	
	600 cfm	19080
	900 cfm	19084



AUTOMATIC AIR VALVE



NOTE: With spring closed valve air flow is in opposite direction from arrow on valve body.



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
 Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

Automatic Air Valve (Normally Closed)
--

ID	Stock #	Description
	2123-105	3/4" Valve
	2123-106	1" Valve
	2123-006-99	Repair Kit
1*	2123-006-01	Gasket
2*	2123-006-02	Diaphragm
3*	2123-006-03	O-Ring
4	2123-006-04	Retainer Bushing
5*	2123-006-05	O-Ring
6	2123-006-06	Disk Retainer
7*	2123-006-07	O-Ring
8	2123-006-08	Seat
9	2123-006-09	Disc Plate
10	Deleted"	Lock Washer, Internal
11*	2123-006-11	Lock Nut
12	2123-106-12	Cap
13*	2123-006-13	Lock Nut
14	2123-006-14	Cap Screw
15	2123-006-15	Diaphragm Plate
17	2123-006-17	Lock Nut
18	2123-006-18	Body 1"
19	2123-006-19	Shaft
20*	2123-006-20	Gasket
21*	2123-006-21	Disc
22	2123-106-22	Gasket
23	2123-106-23	Spring Retainer
24	2123-106-24	Spring
25	2014-300	Vent, 1/8" (not included)
* Included in repair kit		



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
 Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

**Automatic Air Valve
(Normally Closed)**

ID	Stock #	Description
	2123-107	1 1/4" Valve
	2123-108	1 1/2" Valve
	2123-007-99	Repair Kit
1*	2123-007-01	Gasket
2*	2123-007-02	Diaphragm
3*	2123-007-03	O-Ring
4	2123-007-04	Retainer Bushing
5*	2123-007-05	O-Ring
6	2123-007-06	Disc Retainer
7*	2123-007-07	O-Ring
8	2123-007-08	Seat
9	2123-007-09	Disc Plate
10	Deleted"	Lock Washer, Internal
11*	2123-007-11	Lock Nut
12	2123-107-12	Cap
13*	2123-007-13	Lock Nut
14	2123-007-14	Cap Screw
15	2123-007-15	Diaphragm Plate
17	2123-007-17	Lock Nut
18	2123-007-18	Body 1 1/4"
18	2123-008-18	Body 1 1/2"
19	2123-007-19	Shaft
20*	2123-007-20	Gasket
21*	2123-007-21	Disc
22	2123-107-22	Gasket
23	2123-107-23	Spring Retainer
24	2123-107-24	Spring
25	2014-300	Vent, 1/2" (not includes)
* Included In Repair kit		




650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
 Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

**Automatic Air Valve
(Normally Closed)**

ID	Stock #	Description
	2123-109	2" Valve
	2123-009-99	Repair Kit
1*	2123-009-01	Gasket
2*	2123-009-02	Diaphragm
3*	2123-009-03	O-Ring
4	2123-009-04	Retainer Bushing
5*	2123-009-05	O-Ring
6	2123-009-06	Disk Retainer
7*	2123-009-07	O-Ring
8	2123-009-08	Seat
9	2123-009-09	Disc Plate
10	Deleted"	Lock Washer, Internal
11*	2123-009-11	Lock Nut
12	2123-109-12	Cap
13*	2123-009-13	Lock Nut
14	2123-009-14	Cap Screw
15	2123-009-15	Diaphragm Plate
17	2123-009-17	Lock Nut
18	2123-009-18	Body 2"
19	2123-009-19	Shaft
20*	2123-009-20	Gasket
21*	2123-009-21	Disc
22	Not needed	
23	2123-109-23	Spring Retainer
24	2123-109-24	Spring
25	2014-300	Vent, 1/8 (not included)
* Included In Repair Kit		

MICRO VALVE






650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

MICRO VALVE

ID	Stock #	Description
	2125-1006	1" Micro Valve with Urethane sleeve
	2125-107	1 1/1" Micro Valve with Urethane sleeve
	2125-107	1 1/2 Micro Valve with Urethane sleeve
	2125-100-99	Repair Kit with Urethane sleeve
1	2125-000-01	Knob
2*	2125-000-04	Roll Pin
3	7010-505-56	Bolt
4	2125-000-02	Cap
5*	2125-000-05	Plunger
6	2125-000-06	Body
7*	2149-000-06	Plunger Seal
8*	2125-100-08	Sleeve-Urethane
9*	2125-000-09	Gasket
10	2125-006-10	Pipe Nipple, 1" Female x 1 1/2" Male
10	2125-007-10	Pipe Nipple, 1-1/4" male x 1-1/2" male
10	2125-008-10	Pipe Nipple, 1-1/2" male x 1-1/2" male
* Included In Repair Kit		

THOMPSON VALVE






Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

THOMPSON VALVE

ID	Stock #	Description
	2149-006	1" Valve With Tungsten Carbide Sleeve
	2149-106	1" Valve With Urethane Sleeve
	2149-007	1 1/4" Valve With Tungsten Carbide Sleeve
	2149-107	1 1/4" Valve With Urethane Sleeve
	2149-008	1 1/2" Valve With Tungsten Carbide Sleeve
	2149-108	1 1/2" Valve With Urethane Sleeve
	2149-000-99	Repair Kit With Tungsten Carbide Sleeve
	2149-100-99	Repair Kit With Urethane Sleeve
1	2149-000-01	Knob
2	2149-000-02	Cap
3	2149-000-19	Bump Ring
4	2149-000-03	Spring
5	2149-000-08	Nut
6*+	2149-000-04	Piston Seal Kit
7	2149-000-05	Piston
8*+	2149-000-07	Tungsten Carbide Plunger Kit
9	2149-000-09	Cylinder
10*+	2149-000-06	Plunger Seal Kit
11+	2149-100-13	Urethane Sleeve Kit
12	2149-000-11	Base
13	7010-507-55	Bolt
14	2149-006-15	Pipe Nipple 1" x 8"
14	2149-007-15	Pipe Nipple 1 1/4" x 8"
14	2149-008-15	Pipe Nipple 1 1/2" x 8"
15*	2149-000-18	O-Ring Kit
16*	2149-000-14	Insert Kit
17*	2149-000-10	Seat Kit
18*	2149-000-13	Tungsten Carbide Sleeve
* Included In Repair Kit For Thugsten Carbide Sleeve + Included In Repair Kit For Urethane Sleeve		

THOMPSON VALVE II




Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

THOMPSON VALVE II

ID	Stock #	Description
	2152-006	1" Valve With Tungsten Carbide Sleeve
	2152-106	1" Valve With Urethane Sleeve
	2152-007	1 1/4" Valve With Tungsten Carbide Sleeve
	2152-107	1 1/4" Valve With Urethane Sleeve
	2152-008	1 1/2" Valve With Tungsten Carbide Sleeve
	2152-108	1 1/2" Valve With Urethane Sleeve
	2152-000-99	Repair Kit With Tungsten Carbide Sleeve
	2152-100-99	Repair Kit With Urethane Sleeve
1	2152-000-01	Knob
2	2152-000-17	Breather Vent
3	2152-000-12	Spring Retainer
4*+	2152-000-18	O-Ring (Kit)
5	7027-503-02	Waher
6	7010-507-05	Hex Bolt 3/8" UNC x1 1/4" Lg
7	2152-000-02	Cap Plate
8*+	2152-000-16	Cap Gasket (Kit)
9	2149-000-19	Bump Ring
10	2152-000-25	Vibration Disc
11	2152-000-03	Spring
12	2149-000-08	Nut
13*+	2149-000-04	Piston Seal (Kit)
14	2152-000-05	Piston
15*+	2152-000-07	Tungsten Carbide Plunger (Kit)
16	2152-000-09	Cylinder
17*+	2149-500-06	Plunger Seal (Molythane) (Kit)
18*+	2152-000-06	Plunger Seal (Urethane) (Kit)
19	2152-000-14	Body
20+	2152-100-13	Urethane Sleeve (Kit)
21	2152-000-19	Base 1" NPT
21	2152-000-15	Base 1 1/4" NPT
21	2152-000-11	Base 1 1/2" NPT
22	7010-507-95	Hex Bolt 3/8" UNC x4 3/4" Lg
23	3014-506	Plug
24*	2152-000-21	O-Ring (Kit)
25*	2152-000-13	Tungsten Carbide Sleeve
26*	2152-000-10	Seat
27	8403-000-54	Cleanout Ball Valve Adder
28	3006-106	Street Elbow 90o, 1" Galv
29	3029-106-09	Nipple TBE 1" x 2" Full Port
30	2401-506	Ball Valve 1" Full Port (Kit)
* Included In Repair Kit For Thugsten Carbide Sleeve		
+ Included In Repair Kit For Urethane Sleeve		

COMBO VALVE






Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

COMBO VALVE

ID	Stock #	Description
	2223-000	Combo Valve
	2223-000-99	Repair Kit
1	2223-000-01	Cap
2	2223-000-02	Pinch Ram
3	2223-000-03	Upper Rod Guide
4*	2223-000-04	Seal (Upper Rod) (kit)
5	2223-000-05	Spring
6	7010-507-15	Bolt, 3/8" x 6"
7	2223-000-07	Cylinder
8*	2223-000-08	O-Ring (Shaft)
9*	2223-000-09	Snap Ring
10*	2223-000-10	Seal(Lower Rod)
11	2223-000-11	Piston
12	2223-000-12	Shaft
13*	2223-000-13	Piston Seal (Kit)
14	7017-507-01	Nut, 3/8"
15	2223-000-15	Lower Rod Guide
16*	2223-000-16	O-Ring (Lower Rod Guide)
17	2223-000-17	Base
18*+	2223-000-18	Valve Plug Assembly
19	2014-300	Vent, 1/8"
20	4203-500-00	90o Swivel, 1/8 x 1/8"
21	4203-502-02	90o Swivel, 1/4 x 1/4"
* Included In Repair Kit		
+ Included Plug,(2) Orings, Washer and Nut		

PNEUMATIC DEADMAN CONTROLS




2263-000 Pneumatic Deadman		
ID	Stock #	Description
	2263-000-99	Repair Kit
1	2263-000-01	Lever
2	2263-000-02	Body
3 *	2263-000-03	Cartidge
4	2263-000-04	Hinge Pin
5 *	2263-000-05	Set Screw
6	2263-000-06	Button
7 *	2263-000-07	Spring
8 *	2263-000-08	Screw for Button
9	3031-302-00	Hex Nippel, 1/8" x 1/4"
10	3031-300-00	Hex Nippel, 1/8" x 1/8"
* Included in repair kit		

Distribution Glass Jet inc.



650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

PNEUMATIC DEADMAN CONTROLS II



	2263-001	Pneumatic Deadman II
ID	Stock #	Description
	2263-001-99	Repair Kit
1	2263-001-01	Lever
2 *	2263-001-02	Body
3	2263-001-03	Cartidge
4	2263-001-04	Hinge Pin
5	2263-001-05	Set Screw
6 *	2263-001-06	Button
7 *	2263-001-07	Spring
8	2263-001-08	Safety Flap
9	2263-001-09	Plunger Plug
10	2263-001-10	Body Mounting Screw
11	2263-001-11	Lever Spring
12	2263-001-12	Flap Hinge Screw
13	3031-302-00	Hex Nippel, 1/8" x 1/4"
14	3031-300-00	Hex Nippel, 1/8" x 1/8"
* Included in repair kit		

CONTROL VALVES



	2229-000	Pneumatic Control Valve
	2229-100	Control Valve-12 Volt D.C.
	2229-101	Control Valve-12 Volt A.C.
	2229-102	Control Valve-24 Volt D.C.
	2229-103	Control Valve-24 Volt A.C.
	2229-105	Control Valve-120 Volt A.C.
ID	Stock #	Description
	2229-000-99	Repair Kit (Pneumatic)
	2229-100-99	Repair Kit (Electric)
1.	Not Available	Air Operator Cap
2.*+	2229-000-02	Plunger w/O-Rings (Kit)
3.	Not Available	Valve Body
4.*+	2229-000-04	Spring (Kit)
5.	Not Available	Spring Retainer
6.*+	2229-000-06	Filter Disk (Kit)
7.*	2229-007-07	O-Ring (Large) (Kit)
8.	Not Available	Screw (8)
9.	2229-000-09	Air Operator Assembly
10.*+	2229-000-10	O-Ring (2 ea) (Kit)
11.	Not Available	Electric Operator Cap
12.	Not Available	Coil Cover Bottom
13.	2229-100-03	Coil 12 Volt D.C.
	2229-101-03	Coil 12 Volt A.C.
	2229-102-03	Coil 24 Volt D.C.
	2229-103-03	Coil 24 Volt A.C.
	2229-105-03	Coil 120 Volt A.C.
14.	Not Available	Coil Cover
15.	Not Available	Nut
16.	2229-100-06	Solenoid Oilot Assembly - 12 Volt D.C.
	2229-101-06	Solenoid Oilot Assembly - 12 Volt A.C.
	2229-102-06	Solenoid Oilot Assembly - 24 Volt D.C.
	2229-103-06	Solenoid Oilot Assembly - 24 Volt A.C.
	2229-105-06	Solenoid Oilot Assembly - 120 Volt A.C.
17.+	2229-100-07	Gasket (Electric Only) (Kit)
* Included In Repair Kit		+ Included In Repair Kit-Electric

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

GAUGE CBM MOUNT



2" DIA. 1/8" NPT	
DESCRIPTION	PRESS. RANGE
62.2135	0-30
62.2140	0-60
62.2145	0-100
62.2150	0-160
62.2155	0-200

2 1/2" DIA. 1/4" NPT	
DESCRIPTION	PRESS. RANGE
62.3510	30" HG
62.3530	0-15
62.3535	0-30
62.3540	0-60
62.3545	0-100
62.3550	0-160
62.3555	0-200
62.3560	0-300

2 1/2" DIA. 1/4" NPT SILICONE	
DESCRIPTION	PRESS. RANGE
62.6510	30" HG
62.6535	0-30
62.6540	0-60
62.6550	0-100
62.6560	0-160
62.6565	0-300
62.6570	0-600
62.6580	0-1000
62.6580	0-2000
62.6585	0-3000
62.6590	0-5000

GAUGE LM MOUNT



2" DIA. 1/8" NPT	
DESCRIPTION	PRESS. RANGE
62.2335	0-30
62.2345	0-100
62.2350	0-160

2 1/2" DIA. 1/4" NPT	
DESCRIPTION	PRESS. RANGE
62.3710	30" gh
62.3715	30" HG / 0-30
62.3730	0-15
62.3735	0-30
62.3740	0-60
62.3745	0-100
62.3750	0-160
62.3755	0-200
62.3760	0-300

2 1/2" DIA. 1/4" NPT SILICONE	
DESCRIPTION	PRESS. RANGE
62.6610	30" HG
62.6635	0-30
62.6640	0-60
62.6645	0-100
62.6650	0-160
62.6655	0-200
62.6660	0-300
62.6665	0-600
62.6670	0-1000
62.6675	0-1500
62.6680	0-2000
62.6685	0-3000
62.6690	0-5000

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

LINE FILTER - ISOPLAST BOL



STOCK #	(F) NPT	CFM @ 100 PSI	DRAIN
50.120	1/4"	39	MAN.
50.126	1/4"	50	AUT.
50.130	3/8"	68	MAN.
50.131	3/8"	68	AUT.
50.140	1/2"	127	MAN.
50.141	1/2"	127	AUT.
50.150	3/4"	127	MAN.
50.151	3/4"	127	AUT.

LINE FILTER - ZINC BOL BIG DEBIT



STOCK #	(F) NPT	CFM @ 100 PSI	DRAIN
52.160	1"	360	MAN.
52.161	1"	360	AUT.
52.165	1 1/4"	370	MAN.
52.166	1 1/4"	370	AUT.
52.170	1 1/2"	380	MAN.
52.171	1 1/2"	380	AUT.
52.180	2"	1125	MAN.
52.181	2"	1125	AUT.

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

LINE REGULATOR



STOCK #	(F) NPT	CFM @ 100 PSI	PRESS.RANGE
50.320	1/4"	39	0-125
50.330	3/8"	78	0-125
50.335	1/2"	78	0-125
50.350	3/4"	190	0-125
52.360	1"	360	0-125
52.365	1 1/4"	360	0-125
52.370	1 1/2"	360	0-125

PILOT VALVE REGULATOR



STOCK #	(F) NPT	CFM @ 100 PSI	PRESS.RANGE
52.270	3/4"	360	0-300
52.275	1"	360	0-300
52.280	1 1/4"	360	0-300
52.285	1 1/2"	360	0-300
52.380	2"	1200	0-300

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

BALL VALVE



STOCK #	(F) NPT
14.1204	1/4"
14.1206	3/8"
14.1207	1/2"
14.1208	3/4"
14.1209	1"
14.1214	1 1/4"
14.1217	1 1/2"
14.1222	2"

TANK CHECK VALVE



STOCK #	M-F NPT
58.610	1/2" 3/8"
58.620	1/2"
58.630	3/4"
58.650	1"
58.660	1 1/4"
58.670	1 1/2"

GATE VALVE



STOCK #	(F) NPT
11.7107	1/2"
11.7108	3/4"
11.7109	1"
11.7114	1 1/4"
11.7117	1 1/2"
11.7120	2"

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

MUFFLER



STOCK #	(M) NPT	CFM @ 90PSI
86.110	1/4"	90
86.115	3/8"	175
86.120	1/2"	275
86.125	3/4"	500
86.130	1"	700



STOCK #	(M) NPT	CFM @ 90PSI
86.705	1/4"	105
86.710	3/8"	240
86.715	1/2"	310
86.720	3/4"	700
86.725	1"	1000
86.730	1 1/4"	1150
86.735	1 1/2"	2500
86.740	2"	4000

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

SAFETY VALVE



STOCK #	(M) NPT	PSI	CFM
58.800	1/4"	50	47
58.810	1/4"	75	66
58.820	1/4"	115	96
58.830	1/4"	125	103
58.840	1/4"	140	115
58.850	1/4"	155	126
58.860	1/4"	163	132
58.870	1/4"	190	152
58.880	1/4"	200	160
118 3/8 75	3/8"	75	104
118 3/8 100	3/8"	100	133
118 3/8 125	3/8"	125	163
118 3/8 150	3/8"	150	192
118 3/8 175	3/8"	175	222
118 3/8 200	3/8"	200	251
118 1/2 65	1/2"	65	145
118 1/2 90	1/2"	90	175
118 1/2 100	1/2"	100	192
118 1/2 125	1/2"	125	234
118 1/2 135	1/2"	135	252
118 1/2 150	1/2"	150	177
118 1/2 175	1/2"	175	319
118 1/2 200	1/2"	200	361
119 3/4 110	3/4"	110	498
119 3/4 125	3/4"	125	559
119 3/4 135	3/4"	135	599
119 3/4 150	3/4"	150	659
119 3/4 175	3/4"	175	760
119 3/4 200	3/4"	200	861
119 1 110	1"	110	498
119 1 125	1"	125	559
119 1 135	1"	135	599
119 1 150	1"	150	659
119 1 175	1"	175	760
119 1 200	1"	200	861

ELECTRIC DRAIN



STOCK #	(F) NPT	VOLTAGE	TEMP CYCLE	TEMP PURGE
59.300	1/4"	110/1/60	1 - 45 MIN	0.5 - 10 SEC.

"Y" DRAIN



STOCK #	(F) NPT
59.700	1/4"
59.705	1/4"

PILOT UNLOADER VALVES



STOCK #	PRESS. RANGE
PUV 1	90 - 100
PUV 1	135 - 150
PUV 1	150 - 180




STOCK #	PRESS. RANGE
PUV 2	85 - 100
PUV 2	95 - 105
PUV 2	100 - 110
PUV 2	150 - 165
PUV 2	160 - 175

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca


CANABLAST ABRASIVE REGULATOR AR-7



608043 Regulateur d'abrasif AR-7 Complet

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca



CANABLAST Kit -Conversion AR3/AR7

#	Description	Stock #
1	Kit Conversion	608048
2	Pinch Roller	608037
3	Regulating screw	608039
4	Regulation roller	608036
5	Regulation plate	608040
6	Discontinued	608038
7	Screw 10-32 UNF x 1/4" LG	624445

Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

TANDEM VALVE

The Tandem Valve combines the functions of the air inlet and outlet valve

Stock # Description


1012300 Tandem Valve

☞ Replacement Parts

1012301 Service Kit for Tandem Valve
(includes Items marked with *)
1212305 Cap
1012306 Ram
1012307 Upper rod guide
1012308* Seal (upper rod)-Not Shown
1012309 Spring
1012310 Bolt (4 required)
1012311 Cylinder
1012312* O-ring (shaft)
1012313* Snap ring
1012314* Seal (lower rod)
1012315 Piston
1012316 Shaft
1012317* Piston Seal
1012318 Nut, 3/8" (4required)

☞ Replacement Parts

1012319 Lower rod guide
1012320*^ O-ring (lower rod guide)
1012321 Base
1012322* Valve plug assembly
(includes items marked with ^)
1012323*^ Nut, 1/4"
1012324 Tandem/KwickFire Adapter
1012326 90° swivel fitting, 1/4" x 1/4"
with 1/16" restrictor port
1012329 90° swivel fitting, 1/8" x 1/8"
1012350 Exhaust Hose Assembly
1012905 Breather vent, 1/8"
1014241 Washer, 1/8" (8 required)



Distribution Glass Jet inc.

650 rue Graham-Bell Bureau 203, Québec, G1N 4H5
Tél.: (418) 682-6086. Téléc. (418) 682-6915. Courriel : distributionglassjet@bellnet.ca

AIR FAN MODEL: MAX-24P 14,200 CFM 5HP



MODEL #	MOTOR	H.P.	AMPS	PWR.	HEIGHT, WIDTH, DEPTH	WT.	SHROUD <C.F.M.>	VENTURI <C.F.M.>
Max 12	TEAO	1/2	6.5	115v	15.05" x 15" x 13"	40#	2750	3700
Max 12X	HAZ	1/2	6.5	115v	15.05" x 15" x 13"	42#	2750	3700
MF 16*	TEAO	1/3	5.8	115v	19.25" x 18.75" x 13"	41#	3200	5200
Max 16	TEAO	1/3	5.8	115v	19.25" x 18.75" x 13"	44#	3200	5200
Max 16X	HAZ	1/3	5.8	115v	19.25" x 18.75" x 13"	49#	3200	5200
Max 16P	AIR	70 CFM			25" x 18.75 x 13"	45#	4800	6800
Max 20	TEAO	1	14	115v	25.5" x 24.75" x 16.25"	85#	6700	9500
Max 20X	HAZ	1	12	115v	25.5" x 24.75" x 16.25"	93#	6700	9500
Max 20P	AIR	75 CFM			30" x 24.75" x 16.25"	60#	6900	9800
Max 24	TEAO	1-1/2	18	115v	28" x 28" x 18.75"	110#	8600	10,800
Max 24X	HAZ	1-1/2	20	115v	28" x 28" x 18.75"	115#	8600	10,800
Max 24P	AIR	175 CFM			33" x 28" x 18.75"	105#	10,000	14,200
*Black Max Mister Fan: (MF-16) Hooks to 3/4" standard garden hose.								
Motor Information: TEAO..... Totally Enclosed Air Over Motor								
HAZ..... Explosion Proof Motor Frame Construction								
MOTOR..... Also Available With 230/460 Volt 3 Phase Motor								
Shroud <C.F.M.>..... Applies when only when Dust Socks or Ducting are attached.								
Note..... Hazardous Location Motors are U.L. Rated, but not the entire assembly.								
Note..... Max 24 and Max 24X cannot be used with dust socks or flex ducting 2.								

#4408 DUST BAG PURCHASE ONLY
AIR FAN RENT ONLY